



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
 International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : C07F 5/02, A61K 31/69, C07K 5/062, C07D 207/16, C07F 9/572, A61K 38/05</p>	<p>A1</p>	<p>(11) International Publication Number: WO 95/09859 (43) International Publication Date: 13 April 1995 (13.04.95)</p>
<p>(21) International Application Number: PCT/US94/11049 (22) International Filing Date: 6 October 1994 (06.10.94) (30) Priority Data: 08/133,250 7 October 1993 (07.10.93) US 08/139,443 20 October 1993 (20.10.93) US (71) Applicant: THE DU PONT MERCK PHARMACEUTICAL COMPANY [US/US]; 1007 Market Street, Wilmington, DE 19898 (US). (72) Inventors: PACOFSKY, Gregory, James; 510 Polk Street, Raleigh, NC 27604 (US). PRUITT, James, Russell; 38A Skycrest Drive, Landenberg, PA 19350 (US). WEBER, Patricia, Carol; 107 Marshall Bridge Road, Kennett Square, PA 19348-2705 (US). (74) Agents: REINERT, Norbert, F. et al.; The Du Pont Merck Pharmaceutical Company, Legal/Patent Records Center, 1007 Market Street, Wilmington, DE 19898 (US).</p>	<p>(81) Designated States: AU, CA, JP, NZ, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published With international search report.</p>	
<p>(54) Title: BOROPEPTIDE INHIBITORS OF THROMBIN WHICH CONTAIN A SUBSTITUTED PYRROLIDINE RING (57) Abstract This invention relates to the discovery of novel and useful α-amino acid analogs, and the pharmaceutically acceptable salts and prodrugs thereof, containing a disubstituted pyrrolidine ring conjugated to an α-amino acid, useful as inhibitors of thrombin.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

Title

Boro-peptide Inhibitors of Thrombin which Contain a
Substituted Pyrrolidine Ring

5

Field of the Invention

This invention relates to the discovery of novel
and useful α -amino acid analogs, and the
10 pharmaceutically acceptable salts or prodrugs thereof,
as inhibitors of thrombin. These compounds contain a
disubstituted- pyrrolidine ring conjugated to an α -amino
acid functionalized with an electrophilic group such as
boronic acids and their esters, α -perhaloketones and
15 aldehydes.

Background of the Invention

Thrombin plays several critical roles in
20 hemostasis, the normal physiological process by which
bleeding from an injured blood vessel is arrested.
Thrombin cleaves soluble fibrinogen to form insoluble
fibrin in the last proteolytic step of both the
extrinsic and intrinsic pathways of the coagulation
25 cascade. Fibrin may be further insolubilized through
crosslinking by the thrombin-activated enzyme, factor
XIIIa. In addition, thrombin-induced activation of
platelets leads to their aggregation and the secretion
of additional factors that further accelerate creation
30 of a hemostatic plug. Thrombin also potentiates its own
production by the activation of factors V and VIII.
Recent reviews of the roles of thrombin in coagulation
have been reported by Fenton in *Ann. N. Y. Acad. Sci.*
485, 5-15 (1986); and Fenton et al. in *Blood Coagulation*
35 and *Fibrinolysis* 2, 69-75 (1991).

Owing to its multiple roles in clot formation, inhibition of thrombin offers a therapeutic opportunity for development of anticoagulants useful in the treatment of thrombosis. Specific thrombin inhibitors are anticipated to exhibit few of the adverse side effects, such as bleeding and interpatient variability, caused by anticoagulants currently in clinical use (B. Furie and B. C. Furie, *The New England Journal of Medicine* **326**, 800-806 (1992)).

A number of naturally occurring thrombin inhibitors have been isolated. These include the marine sponge natural products *Theonella* sp. nazumamide A, a linear tetrapeptide reported by Fusetani et al., *Tetrahedron Lett.* **32**, 7073-4 (1991); *Theonella* sp. cyclotheonamides A and B reported by Fusetani et al., *J. Am. Chem. Soc.* **112**, 7053-4 (1990); and *Toxadocia cylindrica* toxadocical A, a sulfated C₄₇ aldehyde reported by Nakao et al., *Tetrahedron Lett.* **34**, 1511-4 (1993). Hirudin, a 65 amino acid polypeptide, is responsible for the anticoagulant activity of the medicinal leech, *Hirudo medicinalis*. Recombinant versions of hirudin disclosed by Brauer et al. in AU-A-45977/85 and compounds incorporating hirudin fragments that have been disclosed by Maraganore et al. in PCT application WO91/02750; DiMaio et al., *J. Med. Chem.* **35**, 3331-3341 (1992); DiMaio and Konishi, PCT application WO91/19734; Witting et al., *Biochem. J.* **283**, 737-743 (1992); Krstenansky in European Patent Application EP 372 503 A2; may be clinically useful anticoagulants as suggested by Fareed et al., *Blood Coagulation and Fibrinolysis* **2**, 135-147 (1991).

Peptide analogs of thrombin substrates and reaction intermediates also inhibit thrombin. Examples of these include the tripeptide aldehyde (D)-Phe-Pro-Arg-H, disclosed by Bajusz et al., *Int. J. Peptide Protein Res.* **12**, 217-221 (1978); a chloromethyl ketone analog (Ac-

(D)-Phe-Pro-ArgCH₂Cl, disclosed by Kettner and Shaw, *Thromb. Res.* **14**, 969-73 (1979); polyfluorinated analogs such as (D)-Phe-Pro-Arg-CF₂-CF₃ disclosed by Kolb et al., AU-B-52881/86; Neises and Ganzhorn, European Patent Application EP 503 203 A1; Neises et al., European Patent Application EP 504 064 A1; and boronic acid analogs (Ac-(D)-Phe-Pro-boroArg, Kettner and Shenvi, European Patent Application EP 0 293 881 A2; Kettner et al., *J. Biol. Chem.* **265**, 18289-97 (1990). Borolysine, boroornithine and boroarginine inhibitors that contain various amino acid replacements have also been synthesized and shown to inhibit thrombin. Representative examples of these compounds include t-butyloxycarbonyl-(D)-trimethylsilylalanine-Pro-boroArg-pinenediol, disclosed in Metternich, European Patent Application EP 471 651 A2; Ac-(D)- β -naphthylalanine-Pro-boroArg pinenediol ester, disclosed in Kakkar et al., PCT Application WO 92/07869; N-(t-butyloxycarbonyl)-(D)-phenylglycyl-(L)-prolyl-(L)-arginine aldehyde, disclosed in Gesellchen and Shuman, European Patent Application EP 0 479 489 A2 and *J. Med. Chem.* **36**, 314-319 (1993); and (HOOC-CH₂)₂-(L)- β -cyclohexylalanine-Pro-Arg-CH₂-O-CH₂-CF₃, disclosed by Atrash et al., European Patent Application EP 530 167 A1.

Numerous synthetic thrombin inhibitors, many of which incorporate an arginine or arginine mimic, have also been disclosed. These include arylsulfonylarginine amides such as (2R,4R)-1-[N²-(3-ethyl-1,2,3,4-tetrahydro-8-quinolinesulfonyl)-(L)-arginyl]-4-methyl-2-piperidinecarboxylate, disclosed by Okamoto et al., U.S. Patent No. 4,258,192; Okamoto et al., *Biochem. Biophys. Res. Commun.* **101**, 440-446 (1981); Kikumoto et al., *Biochemistry* **23**, 85-90 (1984); amidinophenylalanine derivatives such as (2-naphthylsulfonylglycyl)-4-amidino-phenylalanyl piperidine disclosed in Stüber and

Dickneite, European Patent Application EP 508 220; amino phenylalanine derivatives, disclosed in Okamoto et al., U.S. Patent No. 4,895,842; 1-[2-[5-(dimethylamino)naphth-1-ylsulfonamido]-3-(2-
5 iminohexahydropyrimidin-5-yl)propanoyl]-4-methylpiperidine dihydrochloride, disclosed in Ishikawa et al., JP 88/227572 and JP 88/227573; and (R)-N-[(RS)-1-amidino-3-piperidinylmethyl]- α -(o-nitrobenzenesulfonamido)indole-3-propionamide, disclosed in
10 Ackermann et al., European Patent Application EP 468 231). Isoquinolinyl guanidino benzoate derivatives, disclosed by Takeshita et al., European Patent Application EP 435 235 A1; and 2-[3-(4-amidinophenyl)]propionic acid derivatives, disclosed by
15 Mack et al., PCT Application WO 93/01208 also act as thrombin inhibitors.

Many natural and synthetic thrombin inhibitors contain a 5-membered pyrrolidine ring. In most cases, the pyrrolidine ring is incorporated into the inhibitor
20 as an integral component of the amino acid proline, a 2-substituted pyrrolidine, which in turn is bonded to the remaining atoms of the inhibitor via amide linkages. None of the cited references describe or suggest the new thrombin-inhibiting compounds of the present invention.

25 The novel compounds described in the present invention are substituted at the 4-position of the pyrrolidine ring. Although Winter et al., in European Patent Application WO 91/04247, have disclosed that 4-substituted-(L)-proline can mimic a dipeptide within a
30 larger peptide or protein, and variably substituted prolines have been incorporated into compounds including bradykinin antagonists disclosed by Kyle et al., *J. Med. Chem.* 34, 2649-2653 (1991); as well as vasopressin analogs Buku et al., *J. Med. Chem.* 30, 1509-1512 (1987),
35 no thrombin inhibitors containing a 5-membered


pyrrolidine ring substituted in the manner described here have been disclosed.

Despite considerable research in the area, more efficacious and specific thrombin inhibitors are needed as potentially valuable therapeutic agents for the treatment of thrombosis.

Summary of the Invention

10

[1] The present invention provides novel compounds of formula (I):



15


(I)

or a pharmaceutically acceptable salt or prodrug thereof, wherein:

R^1 is

20

- a) $-(C_1-C_{12} \text{ alkyl})-X$, or
- b) $-(C_2-C_{12} \text{ alkenyl})-X$, or
- c)



25 X is

- a) halogen,
- b) $-\text{CN}$,
- c) $-\text{NO}_2$,
- d) $-\text{CF}_3$,
- 5 e) $-\text{S}(\text{O})_p\text{R}^2$,
- f) $-\text{NHR}^2$,
- g) $-\text{NHS}(\text{O})_p\text{R}^2$,
- h) $-\text{NHC}(\text{=NH})\text{H}$,
- i) $-\text{NHC}(\text{=NH})\text{NHOH}$,
- 10 j) $-\text{NHC}(\text{=NH})\text{NHCN}$,
- k) $-\text{NHC}(\text{=NH})\text{NHR}^2$,
- l) $-\text{NHC}(\text{=NH})\text{NHC}(\text{=O})\text{R}^2$,
- m) $-\text{C}(\text{=NH})\text{H}$,
- n) $-\text{C}(\text{=NH})\text{NHR}^2$,
- 15 o) $-\text{C}(\text{=NH})\text{NHC}(\text{=O})\text{R}^2$,
- p) $-\text{C}(\text{=O})\text{NHR}^2$,
- q) $-\text{C}(\text{=O})\text{NHC}(\text{=O})\text{R}^2$,
- r) $-\text{C}(\text{=O})\text{OR}^2$,
- s) $-\text{OR}^2$,
- 20 t) $-\text{OC}(\text{=O})\text{R}^2$,
- u) $-\text{OC}(\text{=O})\text{OR}^2$,
- v) $-\text{OC}(\text{=O})\text{NHR}^2$,
- w) $-\text{OC}(\text{=O})\text{NHC}(\text{=O})\text{R}^2$,
- x) $-\text{SC}(\text{=NH})\text{NHR}^2$;

25


 R^2 is

- a) hydrogen,
- b) $-\text{CF}_3$
- c) $\text{C}_1\text{-C}_4$ alkyl,
- 30 d) $-(\text{CH}_2)_q\text{-aryl}$;


R^3 and R^{10} are independently selected at each occurrence from the group consisting of:

- a) hydrogen,
- 35 b) halogen,
- c) $-(\text{CR}^6\text{R}^7)_t\text{W}(\text{CR}^8\text{R}^9)_u\text{-R}^9$,

- d) $-(CR^6R^7)_tW(CR^8R^9)_u$ -aryl,
 e) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heteroaryl,
 f) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heterocycle,
 g) $-(CR^6R^7)_tW(CR^8R^9)_u$ -adamantyl,
 5 h) $-(CR^6R^7)_tW(CR^8R^9)_u$ -(C₅-C₇) cycloalkyl,
 i)




j)




10

k)




15


l)



m)




n)




5

o)




p)




10

q)




15

r)



s)



5 R^3 and R^{10} when taken together form a ring such as:

- a) $-(CR^6R^7)_t(CR^8R^9)_u-W-(CR^8R^9)_u(CR^6R^7)_t-$;
- b) $-(CR^6R^7)_tW(CR^8R^9)_u$ -aryl- $(CR^8R^9)_uW(CR^6R^7)_t-$;
- c) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heteroaryl- $(CR^8R^9)_uW(CR^6R^7)_t-$;
- d) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heterocycle- $(CR^8R^9)_uW(CR^6R^7)_t-$;
- 10 e) $-(CR^6R^7)_tW(CR^8R^9)_u-W-(CR^8R^9)_u-W-(CR^6R^7)_t-$;

R^4 and R^5 are independently selected at each occurrence from the group consisting of:

- a) hydrogen,
- 15 b) C_1 - C_4 alkyl,
- c) C_1 - C_4 alkoxy,
- d) C_5 - C_7 cycloalkyl,
- e) phenyl,
- f) benzyl;

20

R^6 , R^7 , R^8 and R^9 are independently selected at each occurrence from the group consisting of:

- a) hydrogen,
- b) C_1 - C_6 alkyl,
- 25 c) C_1 - C_6 alkoxy,
- d) C_3 - C_8 cycloalkyl,
- e) aryl,
- f) heterocycle,
- g) heteroaryl,
- 30 h) $-W$ -aryl,
- i) $-(CH_2)_wC(=O)OR^4$,

j) R^6 or R^7 can alternatively be taken together with R^6 or R^7 on an adjacent carbon atom to form a direct bond, thereby to form a double or triple bond between said carbons, or

k) R^8 or R^9 can alternatively be taken together with R^8 or R^9 on an adjacent carbon atom to form a direct bond, thereby to form a double or triple bond between said carbons;

R^{11} is

- a) hydrogen,
- b) C_1-C_4 alkyl,
- c) C_1-C_4 thioalkyl,
- d) $-(CR^6R^7)_tW(CR^8R^9)_u$ -aryl,
- e) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heteroaryl,
- f) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heterocycle;
- g) $-(CR^6R^7)_tW(CR^8R^9)_u-R^9$;

R^{11} and V, when taken together, can also be:

- a) keto,
- b) $=NR^{10}$,
- c) $=C[(CR^6R^7)_tW(CR^8R^9)_uR^9]_2$;
- d) $-(CR^6R^7)_tW(CR^8R^9)_uW-(CR^6R^7)_tW(CR^8R^9)_u-$

A is

- a) $-BY^1Y^2$,
- b) $-C(=O)CF_3$,
- c) $-C(=O)CF_2CF_3$,
- d) $-PO_3H_2$,
- e) $-C(=O)H$,
- f) $-C(=O)-1$ -piperdiny1,
- g) CH_2Cl
- h) SO_2F ;

Y^1 and Y^2 are

- a) -OH,
- b) -F,
- c) -NR⁴R⁵ -,
- d) -C₁-C₈ alkoxy, or;

5 when taken together Y¹ and Y² form:

- e) a cyclic boron ester where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
- 10 f) a cyclic boron amide where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
- 15 g) a cyclic boron amide-ester where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O;

20 W can be independently selected at each occurrence from the group consisting of:

- a) -(CH₂)_x-,
- b) -C(=O)-,
- c) -C(=O)O-,
- d) -C(=O)NR⁴-,
- 25 e) -O-,
- f) -OC(=O)-,
- g) -OC(=O)O-,
- h) -OC(=O)NR⁴-,
- i) -NR⁴-,
- 30 j) -NR⁴C(=O)-,
- k) -NR⁴C(=O)O-,
- l) -NR⁴C(=O)NR⁵-,
- m) -NR⁴S(O)_p-,
- n) -S(O)_p-,
- 35 o) -S'(O)_pO-,
- p) -S(O)_pNR⁴-,

- q) $-S(O)_pNR^4C(=O)-$,
 r) $-S(O)_pNR^4C(=O)NR^5-$;

V is selected from the group consisting of:

- 5 a) $-(CH_2)_x-$,
 b) $-(CH_2)_xC(=O)-$,
 c) $-(CH_2)_xC(=O)O-$,
 d) $-C(=O)(CH_2)_x-$,
 e) $-O-(CH_2)_x-$,
 10 f) $-O(CH_2)_xC(=O)-$,
 g) $-O(CH_2)_xC(=O)O-$,
 h) $-O(CH_2)_xC(=O)NR^4-$,
 i) $-O(CH_2)_xS(O)_p-$,
 j) $-(CH_2)_xS(O)_p-$,
 15 k) $-(CH_2)_xS(O)_pO-$,
 l) $-(CH_2)_xS(O)_pNR^4-$,
 m) $-(CH_2)_xS(O)_pNR^4C(=O)-$,
 n) $-(CH_2)_xS(O)_pNR^4C(=O)NR^5-$,
 o) $-(CH_2)_xNR^4-$,
 20 p) $-(CH_2)_xNR^4C(=O)-$,
 q) $-(CH_2)_xNR^4C(=O)O-$,
 r) $-(CH_2)_xNR^4C(=O)NR^5-$,
 s) $-(CH_2)_xNR^4S(O)_p-$;

25 Z is selected from the group consisting of:

- a) $-(CH_2)_x-$,
 b) $-(CH_2)_xC(=O)-$,
 c) $-C(=O)(CH_2)_x-$,
 d) $-(CH_2)_xC(=O)O-$,
 30 e) $-(CH_2)_xC(=O)NR^4-$,
 f) $-(CH_2)_xNR^4-$,
 g) $-(CH_2)_xNR^4C(=O)-$,
 h) $-(CH_2)_xNR^4C(=O)O-$,
 i) $-(CH_2)_xNR^4C(=O)NR^5-$,
 35 j) $-(CH_2)_xNR^4S(O)_p-$,

- k) $-(CH_2)_xS(O)_p^-$,
 l) $-(CH_2)_xS(O)_pNR^4-$,

m can be 0 to 4;

5

n can be 0 to 4;

p can be 0 to 2

10 q can be 0 to 4;

r, s, t, u, and v are independently selected at each occurrence from 0 to 6,

15 w and x are independently selected at each occurrence from 0 to 4;

with the following provisos:

20 (a) when v is $(CH_2)_x$, x cannot be 0 when R^3 is hydrogen;

(b) when z is $-(CH_2)_xC(=O)-$ and $-C(=O)(CH_2)_x$ and x is 0, R^{10} cannot be halogen.

25

[2] Preferred compounds of formula (I) are those compounds wherein:

30 R^1 is (C_3-C_4) alkyl;


x is selected from the group consisting of:

$-NHC(=NH)H$, $-NHC(=NH)NHR^2$, $-NH_2$ or $-SC(=NH)NHR^2$;

35 R^2 is hydrogen or C_1-C_4 alkyl.

[3] More preferred compounds of formula (I) are compounds of formula (Ia):

5



(Ia)

or a pharmaceutically acceptable salts or prodrugs thereof, wherein:

10

R¹ is (C₃-C₄ alkyl);

X is selected from the group consisting of:

15 -NHC(=NH)H, -NHC(=NH)NHR², -NH₂ or -SC(=NH)NHR²;

R² is hydrogen or C₁-C₄ alkyl;

R³ and R¹⁰ are independently selected at each occurrence from the group consisting of:

20

a) hydrogen,

b) halogen,

c) -(CR⁶R⁷)_tW(CR⁸R⁹)_u-R⁹

d) -(CR⁶R⁷)_tW(CR⁸R⁹)_u-aryl

25

e) -(CR⁶R⁷)_tW(CR⁸R⁹)_u-heteroaryl;

R⁴ and R⁵ are independently selected at each occurrence from the group consisting of:

a) hydrogen,

30

b) C₁-C₄ alkyl,

- c) C₁-C₄ alkoxy,
- d) phenyl,
- e) benzyl;

5 R⁶, R⁷, R⁸, R⁹ are independently selected at each occurrence from the group consisting of:

- a) hydrogen
- b) C₁-C₆ alkyl,
- c) aryl,
- 10 d) -(CH₂)_wC(=O)OR⁴, or;

Y¹ and Y² are

- a) -OH,
- b) -F,
- 15 c) -NR⁴R⁵-,
- d) -C₁-C₈ alkoxy, or;


when taken together Y¹ and Y² form:

- e) a cyclic boron ester where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
- 20 f) a cyclic boron amide where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
- 25 g) a cyclic boron amide-ester where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O;

30

W can be independently selected at each occurrence from the group consisting of:

- a) -(CH₂)_x-,
- b) -O-,
- 35 c) -S(O)_p-,
- d) -NR⁴-,
- e) -NR⁴C(=O)-,



v is selected from the group consisting of:

- a) $-(\text{CH}_2)_x-$,
- 5 b) $-\text{O}(\text{CH}_2)_x-$,
- c) $-\text{O}(\text{CH}_2)_x(\text{C}=\text{O})-$,
- d) $-(\text{CH}_2)_x\text{S}(\text{O})\text{P}-$,
- e) $-(\text{CH}_2)_x\text{NR}^4-$
- f) $-(\text{CH}_2)_x\text{NR}^4\text{C}(=\text{O})-$,
- 10 g) $-(\text{CH}_2)_x\text{NR}^4\text{C}(=\text{O})\text{O}-$;

z is selected from the group consisting of:

- a) $-(\text{CH}_2)_xC(=\text{O})-$,
- b) $-\text{C}(=\text{O})(\text{CH}_2)_x-$,
- 15 c) $-(\text{CH}_2)_xC(=\text{O})\text{O}-$,

p can be 0 or 2;

20 r can be independently selected at each occurrence from 0 to 3;

s can be independently selected at each occurrence from 0 to 3;

25 t can be independently selected at each occurrence from 0 to 2;

u can be independently selected at each occurrence from 0 to 2;


30 w can be independently selected at each occurrence from 0 to 2;

35 x can be independently selected at each occurrence from 0 to 3; with the following provisos:

(a) when V is $(CH_2)_x$, x cannot be 0 when R^3 is hydrogen;

(b) when Z is $-(CH_2)_xC(=O)-$ and $-C(=O)(CH_2)_x$ and x is 0, R^{10} cannot be halogen.

[4] Most preferred compounds of formula (I) are those compounds of formula (Ia)



(Ia)

or a pharmaceutically acceptable salt or prodrug thereof, wherein:

R^1 is (C_3-C_4) alkyl;

X is from the group consisting of

$-NHC(=NH)H$, $-NHC(=NH)NHR^2$, $-NH_2$ or $-SC(=NH)NHR^2$;

R^2 is hydrogen or C_1-C_4 alkyl;

R^3 is independently selected from the group consisting of:

benzyl, phenyl, phenethyl, (3-phenyl)prop-1-yl, (2-methyl-1-phenyl)prop-2-yl, (2-methyl-2-phenyl)prop-1-yl, 1,1-diphenylmethyl, phenoxymethyl, phenylsulfonylmethyl, 2-(*m*-fluorophenyl)ethyl, 2-(3-pyridyl)ethyl, (*m*-aminophenyl)methyl, (*m*-

methylphenyl)methyl, (p-methylphenyl)methyl, 1-naphthylmethyl;

R¹⁰ is independently selected from the group consisting

5 of:

methyl, t-butoxy, benzyloxy, phenethyl, benzyl, phenoxymethyl, isopropyl, isoamyl, N-methyl-N-t-butoxycarbonylaminomethyl, N-methylaminomethyl, (m-methyl) phenethyl, (m-fluoro) phenoxymethyl, (m-methyl) phenoxymethyl, (3-pyridyl) ethyl

R¹¹ is hydrogen;

Y¹ and Y² are

- 15 a) -OH,
b) -F,
c) -NR⁴R⁵ -,
d) -C₁-C₈ alkoxy, or;

when taken together Y¹ and Y² form:

- 20 e) a cyclic boron ester where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
f) a cyclic boron amide where said chain or ring
25 contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
g) a cyclic boron amide-ester where said chain or
ring contains from 2 to 20 carbon atoms and,
30 optionally, 1-3 heteroatoms which can be N, S, or O;


V is independently selected from the group consisting of:

- 35 O, -OC(=O)-, S, -NH-;

Z is -C(=O)-.

[5] Specifically preferred compounds of formula (I) are those compounds of formula (Ib):

5



selected from the list consisting of:

10

the compound of formula (Ib) wherein R³ is phenyl and R¹⁰ is methyl;

15

the compound of formula (Ib) wherein R³ is phenylmethyl and R¹⁰ is methyl;

the compound of formula (Ib) wherein R³ is phenethyl and R¹⁰ is methyl;

20

the compound of formula (Ib) wherein R³ is 3-phenylprop-1-yl and R¹⁰ is methyl;

the compound of formula (Ib) wherein R³ is 1,1-dimethyl-2-phenylethyl and R¹⁰ is methyl;

25

the compound of formula (Ib) wherein R³ is 2,2-dimethyl-2-phenylethyl and R¹⁰ is methyl;

the compound of formula (Ib) wherein R^3 is diphenylmethyl and R^{10} is methyl;

5 the compound of formula (Ib) wherein R^3 is phenoxyethyl and R^{10} is methyl;


the compound of formula (Ib) wherein R^3 is phenylsulfonylmethyl and R^{10} is methyl;

10 the compound of formula (Ib) wherein R^3 is (*m*-fluorophenyl)ethyl and R^{10} is methyl;

the compound of formula (Ib) wherein R^3 is (3-pyridylethyl) and R^{10} is methyl;

15 the compound of formula (Ib) wherein R^3 is phenylethyl and R^{10} is phenethyl.

20 [6] Also specifically preferred compounds of formula (I) are those compounds of formula (Ic):



(Ic)

25

selected from the list consisting of:

the compound of formula (Ic) wherein V is sulfur, R^3 is phenyl and R^{10} is phenmethyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is phenethyl;

5 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is 3-phenylpropyl;

the compound of formula (Ic) wherein V is oxygen,
(*m*-methyl)phenoxyethyl and R¹⁰ is 3-phenylpropyl;
10

the compound of formula (Ic) wherein V is oxygen,
(*m*-fluoro)phenoxyethyl and R¹⁰ is 3-phenylpropyl;

the compound of formula (Ic) wherein V is oxygen,
15 R³ is phenylmethyl and R¹⁰ is (*m*-
methylphenyl)ethyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is (*m*-fluoro)phenethyl;
20

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is phenoxyethyl;

the compound of formula (Ic) wherein V is oxygen,
25 R³ is (*m*-fluorophenyl)methyl and R¹⁰ is phenethyl;

the compound of formula (Ic) wherein V is amino, R³
is phenylmethyl and R¹⁰ is phenethyl;

30 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is methyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is 2-propyl;
35

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is isoamyl;

5 the compound of formula (Ic) wherein V is oxygen,
R³ is (*m*-methylphenyl)methyl and R¹⁰ is methyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is (*p*-methylphenyl)methyl and R¹⁰ is methyl;


10 the compound of formula (Ic) wherein V is oxygen,
R³ is (1-naphthyl)methyl and R¹⁰ is methyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is *N*-methyl-*N*-*t*-
15 butoxycarbonylaminomethyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is *N*-methylaminomethyl.

20

[7] Also specifically preferred compounds of formula
(I) are those compounds of formula (Id):



25

(Ic)

selected from the list consisting of:

the compound of formula (Id) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is phenethyl;

30

the compound of formula (Id) wherein V is oxygen,
R³ is (*m*-fluorophenyl)methyl and R¹⁰ is phenethyl.

5 the compound of formula (Id) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ (*m*-methyl)phenethyl;

10 Detailed Description of the Invention

The "(D)" prefix for the foregoing abbreviations indicates the amino acid is in the (D)-configuration. "D,L" indicates the amino acid is present as a mixture
15 of the (D)- and the (L)-configuration. The prefix "boro" indicates amino acid residues where the carboxyl is replaced by a boronic acid or a boronic acid ester. For example, if R¹ is isopropyl and Y¹ and Y² are OH, the C-terminal residue is abbreviated "boroVal-OH" or
20 "boroValine" where "-OH" indicates the boronic acid is in the form of the free acid. The pinanediol boronic acid ester and the pinacol boronic acid ester are abbreviated "-C₁₀H₁₆" and "-C₆H₁₂", respectively. Examples of other useful diols for esterification with
25 the boronic acids are 1,2-ethanediol, 1,3-propanediol, 1,2-propanediol, 2,3-butanediol, 1,2-diisopropylethanediol, 5,6-decanediol, and 1,2-dicyclohexylethanediol. Some common abbreviations used herein are: CBZ or Z, benzyloxycarbonyl; BSA,
30 benzenesulfonic acid; THF, tetrahydrofuran; Boc-, *t*-butoxycarbonyl-; Ac-, acetyl; pNA, *p*-nitroaniline; DMAP, 4-dimethylaminopyridine; HOBT, 1-hydroxybenzotriazole and hydrate thereof; DCC, 1,3-dicyclohexylcarbodiimide; Tris, Tris(hydroxymethyl)aminomethane; MS, mass
35 spectrometry; FAB/MS, fast atom bombardment mass spectrometry. LRMS and HRMS are low and high resolution

mass spectrometry, respectively, using ammonia ($\text{NH}_3\text{-CI}$) or methane ($\text{CH}_4\text{-CI}$) as an ion source.

It is understood that many of the compounds of the present invention contain one or more chiral centers and that these stereoisomers may possess distinct physical and biological properties. The present invention comprises all of the stereoisomers or mixtures thereof. If the pure enantiomers or diastereomers are desired, they may be prepared using starting materials with the appropriate stereochemistry, or may be separated from mixtures of undesired stereoisomers by standard techniques, including chiral chromatography and recrystallization of diastereomeric salts.

When any variable (for example, R^1 through R^{10} , m, n, W, Z, etc.) occurs more than one time in any constituent or in formula (I), or any other formula herein, its definition on each occurrence is independent of its definition at every other occurrence.

In the instance that a subscript of a group is 0, it is intended to mean that the previous group is bonded directly with the next group in the sequence. For example, when:

R^3 is $-(\text{CR}^6\text{R}^7)_t\text{-W-(CR}^8\text{R}^9)_u\text{-aryl}$, and u is 0

it is the same as:

$-(\text{CR}^6\text{R}^7)_t\text{-W-aryl}$.

As described broadly above for R^6 and R^7 , in the case "where R^6 (R^8) or R^7 (R^9) can alternatively be taken together with R^6 (R^8) or R^7 (R^9) on an adjacent carbon atom to form a direct bond", this can only occur when t (u) is greater than 1. The structure that would result from:

R^3 is $-(\text{CR}^6\text{R}^7)_t\text{-W-(CR}^8\text{R}^9)_u\text{-aryl}$, t = 2, u=2,

R^6 and R^7 are taken to form a double bond, and R^8 and R^9 taken to be a triple bond

would be:

$-\text{CR}^6=\text{CR}^7\text{-W-C}\equiv\text{C-aryl}$.

The term "amine-blocking group" or "amine-protecting group" as used herein, refers to various acyl, thioacyl, alkyl, sulfonyl, phosphoryl, and phosphinyl groups comprised of 1 to 20 carbon atoms.

5 Substituents on these groups may include either alkyl, aryl and alkaryl which may contain the heteroatoms, O, S, and N as a substituent or as an inchain component. A number of amine-blocking groups are recognized by those skilled in the art of organic synthesis. Examples of
10 suitable groups include formyl, acetyl, benzoyl, trifluoroacetyl, and methoxysuccinyl; aromatic urethane protecting groups, such as benzyloxycarbonyl; and aliphatic urethane protecting groups, such as t-butoxycarbonyl (also referred to as t-butyloxycarbonyl)
15 or adamantyloxycarbonyl. Gross and Meienhofer, eds., *The Peptides*, Vol 3; 3-88 (1981), Academic Press, New York, and Greene and Wuts *Protective Groups in Organic Synthesis*, 315-405 (1991), J. Wiley and Sons, Inc., New York describe numerous suitable amine protecting groups
20 and they are incorporated herein by reference for that purpose.

"Amino acid residues" as used herein, refers to natural or unnatural amino acid of either (D)- or (L)-configuration. Natural amino acids residues are Ala,
25 Arg, Asn, Asp, Cys, Gln, Glu, Gly, His, Ile, Leu, Lys, Met, Phe, Pro, Ser, Thr, Trp, Tyr, and Val. Roberts and Vellaccio, *The Peptides*, Vol 5; 341-449 (1983), Academic Press, New York, describe numerous suitable unnatural amino acids for use in this application and is
30 incorporated herein by reference for that purpose.

"Amino acid residue" also refers to various amino acids where sidechain functional groups are coupled with appropriate protecting groups known to those skilled in the art. "The Peptides", Vol 3, 3-88 (1981) describes
35 numerous suitable protecting groups and is incorporated herein by reference for that purpose.

As used herein, "alkyl" is intended to include both branched and straight-chain saturated aliphatic hydrocarbon groups having the specified number of carbon atoms; "alkoxy" represents an alkyl group of indicated number of carbon atoms attached through an oxygen bridge; "cycloalkyl" is intended to include saturated ring groups, including mono-, bi- and polycyclic ring systems, such as cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, adamantyl and cyclooctyl, and so forth. "Alkenyl" is intended to include hydrocarbon chains of either a straight or branched configuration and one or more unsaturated carbon-carbon bonds which may occur in any stable point along the chain, such as ethenyl, propenyl, and the like. "Halo" or "halogen" as used herein refers to fluoro, chloro, bromo, and iodo.

The term "aryl" is defined as phenyl, fluorenyl, biphenyl and naphthyl, which may be unsubstituted or include optional substitution with one to three substituents.

The term "heteroaryl" is meant to include 5-, 6- or 10-membered mono- or bicyclic aromatic rings which can optionally contain from 1 to 3 heteroatoms selected from the group consisting of O, N, and S; said ring(s) may be unsubstituted or include optional substitution with one to three substituents. Included in the definition of the group heteroaryl, but not limited to, are the following: 2-, or 3-, or 4-pyridyl; 2- or 3-furyl; 2- or 3-benzofuranyl; 2-, or 3-thiophenyl; 2- or 3-benzo[b]thiophenyl; 2-, or 3-, or 4-quinolinyl; 1-, or 3-, or 4-isoquinolinyl; 2- or 3-pyrrolyl; 1- or 2- or 3-indolyl; 2-, or 4-, or 5-oxazolyl; 2-benzoxazolyl; 2- or 4- or 5-imidazolyl; 1- or 2- benzimidazolyl; 2- or 4- or 5-thiazolyl; 2-benzothiazolyl; 3- or 4- or 5-isoxazolyl; 3- or 4- or 5-pyrazolyl; 3- or 4- or 5-isothiazolyl; 3- or 4-pyridazinyl; 2- or 4- or 5-pyrimidinyl; 2-pyrazinyl; 2-triazinyl; 3- or 4-

- cinnolinyl; 1-phthalazinyl; 2- or 4-quinazolinyl; or 2-quinoxaliny ring. Particularly preferred are 2-, 3-, or 4-pyridyl; 2-, or 3-furyl; 2-, or 3-thiophenyl; 2-, 3-, or 4-quinolinyl; or 1-, 3-, or 4-isoquinolinyl.

- The term "heterocycle" is meant to include 5-, 6- or 10-membered mono- or bicyclic rings which can optionally contain from 1 to 3 heteroatoms selected from the group consisting of O, N, and S; said ring(s) may be unsubstituted or include optional substitution with one to three substituents. Included in the definition of the group heterocycle, but not limited to, 2- or 3-pyrrolidinyl, a 2-, 3-, or 4-piperidinyl, or a 1-, 3-, or 4-tetrahydroisoquinolinyl, 1-, 2-, or 4-tetrahydroquinolinyl, 2- or 3-tetrahydrofuranly, 2- or 3-tetrahydrothiophene, 1-, 2-, 3-, or 4-piperazinyl, and 1-, 2-, 3-, or 4-morpholino. Particularly preferred are 1-, 3-, or 4-tetrahydroisoquinolinyl, 2- or 3-pyrrolidinyl, and 2-, 3- or 4-piperidinyl.

- The substituents that may be attached to the aryl, heteroaryl or heterocycle ring(s) may be independently selected at each occurrence from the group consisting of:

- halogen, $-\text{CF}_3$, $\text{C}_1\text{-C}_4$ alkyl, nitro, phenyl, cyano,
 $-(\text{CH}_2)_x\text{R}^4$, $-(\text{CH}_2)_x\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^4$,
 $-(\text{CH}_2)_x\text{C}(=\text{O})\text{O}(\text{CH}_2)_s\text{R}^4$,
 $-(\text{CH}_2)_x\text{C}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$, methylenedioxy,
 $\text{C}_1\text{-C}_4$ alkoxy, $-\text{CH}_2)_x\text{O}(\text{CH}_2)_s\text{R}^4$, $-(\text{CH}_2)_x\text{OC}(=\text{O})(\text{CH}_2)_s\text{R}^4$,
 $-(\text{CH}_2)_x\text{OC}(=\text{O})\text{O}(\text{CH}_2)_s\text{R}^4$,
 $-(\text{CH}_2)_x\text{OC}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_x\text{OC}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_x\text{S}(\text{O})_p(\text{CH}_2)_s\text{R}^4$, $-(\text{CH}_2)_x\text{S}(\text{O})_p(\text{CH}_2)_s\text{C}(=\text{O})\text{R}^4$,
 $-(\text{CH}_2)_x\text{S}(\text{O})_p(\text{CH}_2)_s\text{C}(=\text{O})\text{OR}^4$,
 $-(\text{CH}_2)_x\text{S}(\text{O})_p\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_x\text{S}(\text{O})_p\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_x\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,

- (CH₂)_rN[(CH₂)_sR⁴][C(=O)(CH₂)_sR⁵],
- (CH₂)_rN[(CH₂)_sR⁴][C(=O)O(CH₂)_sR⁵],
- (CH₂)_rN[(CH₂)_sR⁴]CON[(CH₂)_sR⁴][(CH₂)_sR⁵],
- (CH₂)_rN[(CH₂)_sR⁴]C(=O)-N[(CH₂)_sR⁴][C(=O)(CH₂)_sR⁵],
- 5 - (CH₂)_rN[(CH₂)_sR⁴][S(O)_p(CH₂)_sR⁵].

By "stable compound" or "stable structure" is meant herein a compound that is sufficiently robust to survive isolation to a useful degree of purity from a reaction
 10 mixture and formulation into an efficacious therapeutic agent.

As used herein, "pharmaceutically acceptable salts" refer to derivatives of the disclosed compounds wherein the parent compound of formula (I) is modified by making
 15 acid or base salts of the compound of formula (I). Examples of pharmaceutically acceptable salts include, but are not limited to, mineral or organic acid salts of basic residues such as amines; alkali or organic salts of acidic residues such as carboxylic acids and the
 20 like.

Pharmaceutically acceptable salts of the compounds of the invention can be prepared by reacting the free acid or base forms of these compounds with a stoichiometric amount of the appropriate base or acid in
 25 water or in an organic solvent, or in a mixture of the two; generally, nonaqueous media like ether, ethyl acetate, methanol, ethanol, isopropanol, or acetonitrile are preferred. Lists of suitable salts are found in Remington's Pharmaceutical Sciences, 17th ed., Mack
 30 Publishing Company, Easton, PA, 1985, p. 1418, the disclosure of which is hereby incorporated by reference.

"Prodrugs" are considered to be any covalently bonded carriers which release the active parent drug according to formula (I) *in vivo* when such prodrug is
 35 administered to a mammalian subject. Prodrugs of the

compounds of formula (I) are prepared by modifying functional groups present in the compounds in such a way that the modifications are cleaved, either in routine manipulation or *in vivo*, to the parent compounds.


- 5 Prodrugs include compounds of formula (I) wherein hydroxy, amine, or sulfhydryl groups are bonded to any group that, when administered to a mammalian subject, cleaves to form a free hydroxyl, amino, or sulfhydryl group, respectively. Examples of prodrugs include, but
10 are not limited to, acetate, formate and benzoate derivatives of alcohol and amine functional groups in the compounds of formula (I).

Synthesis Discussion

- 15 Compounds of formula (I) can be prepared using the synthetic sequences that follow. The solvents employed are compatible with the reagents selected and the transformations being performed. It will be understood by those skilled in the art of organic synthesis that
20 the order of the transformations proposed will be consistent with functionality present in the molecules and may require judgements during the selection of a procedure for preparation of a compound of the invention.
- 25 The general synthesis of *N*-acyl-4-(acyloxy)proline intermediates can be prepared by sequential acylations of the amine and hydroxyl functionalities and is shown in Scheme 1.

30

Scheme 1




Thus, as an example, (L)-4-hydroxyproline benzyl ester hydrochloride, which is commercially available, or any other suitably protected hydroxyproline, can be treated with a trialkylamine base, typically 4-methylmorpholine, and an acid chloride ($R^{10}COCl$) to afford acylation product (II) selectively. The hydroxyl group can be converted to a corresponding ester by treatment with a second acid chloride (R^3COCl) in the presence of a trialkylamine or heterocyclic amine base, such as pyridine, and a suitable catalyst, such as but not limited to DMAP to generate (III). The carboxylic acid of the proline moiety can be liberated by hydrogenation using conditions reported by Hartney and Simonoff, *Org. React.* VII, 263 (1953) wherein an alcohol solution of the compound (III) may be affected under an atmosphere of hydrogen gas using a suitable catalyst, preferably platinum or palladium on carbon catalyst, to provide (IV).

One may vary the transformations indicated above depending upon the nature of the groups to be appended. One may employ alternative methods such as a mixed anhydride coupling, as reported by Anderson, et al. J. Am. Chem. Soc. 89, 5012 (1967); or the DCC/HOBT protocol

described by König, and Geiger, *Chem. Ber.* 103, 788 (1970) to form the requisite amide bond. Also, the DCC/DMAP esterification procedure, reported by Hassner, and Alexanian, *Tetrahedron Lett.* 19, 4475 (1978) has proved useful for performing the second acylation reaction. Finally, one may choose an ester other than benzyl which might be removed hydrolytically or photolytically, such as photolytic deprotection. For example, with a methyl ester of (II), treatment of an alcoholic solution of the compound with a solution of sodium hydroxide so as to deliver 1 equivalent amount of NaOH followed by acidification should provide the carboxylic acid.

The *N*-acyl-4-(alkoxy)proline intermediates can be prepared as shown in Scheme 2.

Scheme 2




The hydroxyl function of an *N*-protected 4-hydroxyproline (V) can be alkylated according to the method of Smith et al., *J. Med. Chem.* 31, 875 (1988), by treatment with an alkali metal hydride, such as but not limited to sodium hydride and an alkyl halide (R^3X) to give (VI). Removal

of the *N*-protecting group by an appropriate method known to one of skill in the art can provide (VII): the *t*-butyl carbamate can be cleaved upon treating with acid under anhydrous conditions; for example, trifluoroacetic acid in dichloromethane solution removes the *t*-butyl urethane of derivatives of (IV) at ambient temperature as reported by Bryan et. al., *J. Am. Chem. Soc.* **99**, 2353 (1977); alternatively anhydrous hydrogen chloride in dioxane may be used to prepare the HCl salt. Other methods for protection of the amine are delineated in Greene and Wuts (1991). The use of benzyl urethane is also viable where hydrogenation over palladium catalyst delivers the free amine (VII). Acylation by one of the methods discussed previously can provide (VIII).

The 4-amino and 4-mercaptoproline intermediates useful for the synthesis of compounds of the formula (I), wherein V is S, NH or derivatives thereof, can be prepared according to Scheme 3. The hydroxyproline ester (IX), wherein the amine is protected as the BOC or CBZ, can be reacted with carbon tetrachloride/triphenylphosphine according to the method of Webb and Eigenbrot, *J. Org. Chem.*, **56**, 3009 (1991), to provide the chloride (X) with inversion of stereochemistry. The chloride can be displaced by a sulfur nucleophile, again with inversion of stereochemistry in a manner similar to that reported by Smith et al. (1988) to provide the displacement product (XIb), sulfur-containing prolines. Similarly, the chloride can be displaced by sodium azide, which is reduced to the primary amine and converted by reductive amination to provide the displacement products (XIIa), nitrogen-containing prolines. The R³ group in (XII) used in the displacement reaction need not be the ultimate R³ of formula (I); methods for their removal are well known to those skilled in the art of organic synthesis. Methods for the attachment of preferred R³ are described herein.

Scheme 3




5

These disubstituted prolines (XIIa,b) can be used in an analogous manner to that of (IV) or (VIII) described hereafter.

10 The construction of thrombin inhibitors of the present invention requires the coupling of either of the aforementioned intermediates, (IV), (VIII), or (XII) with a boron-containing fragment followed by manipulation of the pendant functionalities, as shown in Scheme 4.

15

Scheme 4



The synthesis of borolysine-containing thrombin inhibitors (XVII) begins with the coupling of amine hydrochloride (XIII), disclosed by Kettner and Shenvi U.S. Patent No. 5,187,147, to provide amide (XIV). In practice, one may choose from several well-known methods to prepare (XIV) in suitably pure form, as purification of this intermediate is oftentimes impractical. One method calls for the combination of (XIII) and the acid chloride derived from (IV), (VIII) or (XII) in the presence of an amine base, such as but not limited to pyridine. Alternatively, one may employ either the mixed anhydride method, which involves mixing the acid to be coupled with an alkylchloroformate and an tertiary amine base, such as, but not limited to, *i*-butyl chloroformate and 4-methylmorpholine, followed by

addition of the amine discussed previously, to prepare (XIV) from (IV), (VIII) or (XII); additionally the DCC/HOBT method may be used to access amines XIV and/or XII

- 5 Conversion of the bromide to the X group in R¹ of formula (I) can be accomplished by first reaction of bromide (X) with an inorganic azide, such as sodium or potassium azide, in an anhydrous polar aprotic solvent, such as acetone, *N,N*-dimethylformamide or methyl
- 10 sulfoxide at temperatures ranging from ambient to 130°C; typically reaction with sodium azide in *N,N*-dimethylformamide at 65-70 °C for several hours provides (XV). Subsequent reduction of the azide function to the amine (XVI) is effected by catalytic hydrogenation of
- 15 the azide in a solvent, such as an alcohol or ethyl acetate using a suitable transition metal catalyst under an atmosphere of hydrogen gas. Reduction of the azide (XX) in the presence of sulfur-containing prolines (XV, where V is S) can be done according to the method of
- 20 Knowles et al., *Tetrahedron Lett.*, p. 3663 (1978) to provide the amines (XXI). A variety of alternative methods can be found in the monograph by Hudlicky, *Reductions In Organic Synthesis*, John Wiley and Sons, pp. 134 (1984). The amine (XVI) can be isolated as the
- 25 free base or a salt, typically, but not exclusively hydrochloride or benzenesulfonate; other salts which impart improved physical properties may be preferred.

The method described by Matteson et al., *J. Am. Chem. Soc.* **102**, 7590 (1980) discloses a procedure for

30 removing the pinanediol ester, however, the method employs reagents which may decompose the desired product. The preferred method for preparation of the free boronic acid (XVII) involves transesterification in the presence of excess phenylboric acid.

Starting from intermediate bromide (XIX), the X group in formula (I) can be introduced directly by displacement of the halide using thiourea as the nucleophilic species thereby providing boronic ester (XXVIII). As described previously, transesterification using phenylboric acid yields (XXIX).

Examples

10

Example 78

*N*¹-[(4*R*)-*N*-Acetyl-4-(3-phenylpropionyl)oxy-(*L*)-prolyl]-*R*-borolysine, (+)-pinanediol ester

Part A: To a solution of (4*R*)-4-hydroxy-(*L*)-proline benzyl ester hydrochloride (2.67 g, 1.04 mol) in dichloromethane (CH₂Cl₂, 50 mL) at 0 °C was added 4-methylmorpholine (2.50 mL, 2.28 mmol) followed by acetyl chloride (0.72 mL, 1.09 mmol). The reaction mixture was warmed to room temperature over 12 hours and ethyl acetate (EtOAc, ca. 200 mL) was added. The organic layer was washed with saturated aqueous sodium bicarbonate (NaHCO₃, 1 x 30 mL), water (H₂O, 1 x 30 mL), saturated aqueous sodium chloride (NaCl, 1 x 30 mL), dried over sodium sulfate (Na₂SO₄) and concentrated under reduced pressure. The resulting oil (1.94 g, 71% yield) solidified on standing at room temperature. A sample of (4*R*)-*N*-acetyl-4-hydroxy-(*L*)-proline benzyl ester was recrystallized from hexanes:EtOAc to give white plates, mp 99-102 °C (orthorhombic, P2₁2₁2₁, a = 9.216, b = 9.315, c 15.420 Å). ¹H NMR (300 MHz, CDCl₃) δ 7.35 (comp, 5H), 5.17 (s, 2H), 4.63 (m, 1H), 3.79 (dd, J = 10.6, 4.6 Hz, 1H), 3.50 (d, J = 10.6 Hz, 1H), 2.29 (d, J = 4.4 Hz, 1H), 2.24 (m, 1H), 2.11 (m, 1H), 2.09 (s, 3H); LRMS 264 (M+H, base), 281 (M+NH₄); Anal. Calcd for C₁₄H₁₇NO₄: C, 63.87; H, 6.51; N, 5.32. Found: C, 63.84; H, 6.41; N, 5.38.

Part B: To a solution of the product from Part A (370 mg, 1.41 mmol) and pyridine (0.17 mL, 2.10 mmol) in CH₂Cl₂ (14 mL) at 0 °C was added 3-phenylpropionyl chloride (0.23 mL, 1.55 mmol). The reaction mixture was warmed to room temperature over 3 hours and added to EtOAc (ca. 75 mL). The organic layer was washed with sat. aq. NaHCO₃ (1 x 25 mL), half-saturated aqueous copper (II) sulfate (1 x 25 mL), sat. aq. NaCl (1 x 25 mL), dried (Na₂SO₄) and was concentrated under reduced pressure. The residue was purified by flash chromatography, elution with 2:1 EtOAc-hexanes to give (4R)-N-acetyl-4-(3-phenylpropionyl)oxy-(L)-proline benzyl ester (340 mg) as an oil in 61% yield. ¹H NMR (300 MHz, CDCl₃) δ 7.37 (comp, 5H), 7.28 (m, 2H), 7.19 (m, 3H), 5.30 (m, 1H), 5.18 (m, 2H), 4.51 (dd, J= 8.4, 8.0 Hz, 1H), 3.84 (dd, J= 11.7, 4.7 Hz, 1H), 3.46 (d, J= 11.7 Hz, 1H), 2.93 (t, J= 7.5 Hz, 2H), 2.64 (t, J= 7.5 Hz, 2H), 2.28 (m, 1H), 2.13 (m, 1H), 2.03 (s, 3H); LRMS 396 (M+H, base).

Part C: A solution of the product from Part B (340 mg, 0.86 mmol) together with palladium on charcoal (50 mg) in methanol (MeOH, 9 mL) was stirred under hydrogen (1 atm) for 2 hours. The reaction mixture was filtered through a pad of Celite with additional MeOH (ca. 10 mL) and the filtrate was concentrated under reduced pressure to give (4R)-N-acetyl-4-(3-phenylpropionyl)oxy-(L)-proline (245 mg) as a foam in 93% yield. ¹H NMR (300 MHz, CDCl₃) δ 7.27 (comp, 5H), 5.28 (m, 1H), 4.57 (t, J= 7.7 Hz, 1H), 4.38 (br s, 1H), 3.76 (dd, J= 11.9, 4.5 Hz, 1H), 3.49 (s, 1H), 2.95 (t, J= 7.3 Hz, 2H), 2.66 (t, J= 7.3 Hz, 2H), 2.56 (m, 1H), 2.26 (m, 1H), 2.07 (s, 3H); LRMS 306 (M+H), 173 (base).

1:1 Et₂O-hexanes gave (4S)-N-BOC-4-chloro-(L)-proline methyl ester (17.03 g) as an oil in 84% yield. ¹H NMR (300 MHz, CDCl₃) δ 4.37 (m, 2H), 3.95 (m, 1H), 3.75 (s, 3H), 3.63 (m, 1H), 2.63 (m, 1H), 2.38 (m, 1H), 1.45 (s, 9H).

Part B: A solution of the product from Part A (17.03 g, 64.5 mmol) in trifluoroacetic acid (20 mL) and CH₂Cl₂ (20 mL) was stirred 18 hours. The reaction mixture was concentrated under reduced pressure to give (4S)-4-chloro-(L)-proline methyl ester (18.05 g) as an oil in quantitative yield. ¹H NMR (300 MHz, CDCl₃) δ 4.75 (comp, 2H), 3.87 (comp, 2H), 3.94 (s, 3H), 2.99 (m, 1H), 2.77 (m, 1H).

Part C: A solution of the product from Part B (30.28 g, 109 mmol) in CH₂Cl₂ (50 mL) was cooled to 0 °C and Et₃N (45.6 mL, 327 mmol) followed by hydrocinnamoyl chloride (17.8 mL, 120 mmol) were added slowly in order to maintain an internal temperature less than 10 °C. After stirring six hours, H₂O (50 mL) was added to the reaction mixture. The resulting solution was extracted with CH₂Cl₂ (3 x 50 mL). The organics were washed with H₂O (25 mL), dried with MgSO₄ and concentrated under reduced pressure to give (4S)-N-(3-phenylpropionyl)-4-chloro-(L)-proline methyl ester (17.44 g) as a waxy solid in 54% yield. LRMS 296.1 (base, M+H).

Part D: EtOH (50 mL) was cooled to 0 °C and sodium (0.78 g, 33.8 mmol) was added. After the hydrogen evolution ceased, thiophenol (3.72 g, 33.8 mmol) was added and the reaction mixture stirred for 15 minutes at 0 °C, and the product from Part C (5 g, 16.9 mmol) was added. The stirring was continued for an additional 16 hours at room temperature. The mixture was concentrated under reduced pressure, diluted with water (20 mL) and acidified with 1N HCl to pH 4. The aqueous solution was

extracted with EtOAc (3 x 30 mL), the organics dried with Na₂SO₄ and concentrated under reduced pressure. The residue was further purified by flash chromatography, elution with chromatographed with 1:3 EtOAc-hexanes gave 2.06 g of (4R)-N-(3-phenylpropionyl)-4-(phenyl)thio-(L)-proline in 25% yield. LRMS 356.1 (M+H, base).

Part E: Using the method described above for the preparation of Example 78, Part D, (1R)-5-bromo-[(4R)-N-(3-phenylpropionyl)-4-(phenyl)thio-(L)-prolyl]aminopentane-1-boronic acid, (+)-pinanediol ester was isolated (2.43 g) as an oil in 85% yield. LRMS 681.2 683.2 (M+H, base).

Part F: Using the method described above for Example 78, Part E, the intermediate (1R)-5-azido-[(4R)-N-(3-phenylpropionyl)-4-(phenyl)thio-(L)-prolyl]aminopentane-1-boronic acid, (+)-pinanediol ester was isolated (2.42 g) as an oil in quantitative yield.

Part G: A solution of the product from Part F (2.42 g, 3.76 mmol) in 1,3-propanedithiol (1.62 g, 15 mmol), triethylamine (1.52 g, 15 mmol) and methanol (20 mL) was stirred at 50 °C for 24 hours. The reaction mixture was concentrated under reduce pressure and purified by flash chromatography through florisil, eluting with 1:9 MeOH-CH₂Cl₂. The concentrated residue was dissolved in diethyl ether (10 mL), acidified with 1 equivalent of 1N HCl in Et₂O and concentrated to give the title compound (0.73 g) as a solid in 31% yield. LRMS 617.3 (M+H, base). HRMS Calcd for C₃₅H₄₈BN₃O₄S: 617.34583. Found: 617.34580.

Example 303

*N*¹-[(4*R*)-*N*-(3-Phenylpropionyl)-4-(benzyl)oxy-(*L*)-prolyl]-
R-borolysine, (+)-pinanediol ester

Part A: A solution of the commercially available
5 starting material, (4*R*)-*N*-BOC-4-(benzyl)oxy-(*L*)-proline,
previously reported by Smith et al., *J. Med. Chem.* 31,
875 (1988); (2.11 g, 6.57 mmol), in CH₂Cl₂ (27 mL) was
treated with anhydrous hydrogen chloride in dioxanes (4
M, 6.60 mL). The reaction mixture was stirred for 18
10 hours, during which time a white precipitate formed. The
reaction was diluted with diethyl ether (Et₂O, ca. 100
mL) and the solid material was collected by suction
filtration to afford (4*R*)-4-(benzyl)oxy-(*L*)-proline
hydrochloride (1.60 g) as a white powder in 95% yield.
15 ¹H NMR (300 MHz, DMSO-*d*₆) δ 10.2 (br s, 1H), 7.36 (comp,
5H), 4.52 (s, 2H), 4.37 (dd, *J* = 10.8, 7.5 Hz, 1H), 4.31
(m, 1H), 3.43 (dd, *J* = 12.5, 4.4 Hz, 1H), 3.33 (d, *J* = 12.5
Hz, 1H), 2.48 (m, 1H), 2.11 (m, 1H); LRMS 222 (*M*+H,
base).

20 Part B: A suspension of the product from Part A (1.50
g, 5.83 mmol) in CH₂Cl₂ (58 mL) at 0 °C was treated with
3-phenylpropionyl chloride (0.95 mL, 6.41 mmol) followed
by 4-methylmorpholine (1.92 mL, 17.5 mmol). The
25 reaction mixture was warmed to room temperature over 20
hours, treated with 2M aqueous hydrochloric acid (HCl)
until pH = 2, and added to EtOAc (ca. 200 mL). The
organic layer was washed with H₂O (3 x 50 mL), sat. aq.
NaCl (1 x 50 mL), dried (MgSO₄) and concentrated under
30 reduced pressure. The resulting solid was
recrystallized from hexanes-EtOAc and gave a first crop
(1.33 g, mp 127-129 °C) and a second crop (0.37 g, mp
122-125 °C) of (4*R*)-*N*-(3-phenylpropionyl)-4-(benzyl)oxy-
(*L*)-proline as colorless plates in a total of 82% yield.
35 (monoclinic, *P*2₁, *a* = 6.196, *b* = 9.101, *c* = 16.477 Å, β =
98.98 °) ¹H NMR (300 MHz, CDCl₃) δ 7.29 (comp, 10H),

4.95 (br s, 1H), 4.69 (dd, $J = 8.1, 6.2$ Hz, 1H), 4.50 (ABq, $\Delta\alpha_{AB} = 32.5$ Hz, $J_{AB} = 11.7$ Hz, 2H), 4.20 (quin, $J = 4.8$ Hz, 1H), 3.46 (d, $J = 4.8$ Hz, 2H), 2.98 (t, $J = 7.7$ Hz, 2H), 2.59 (t, $J = 7.4$ Hz, 2H), 2.50 (m, 1H), 2.23 (ddd, $J = 13.5, 8.4, 5.0$ Hz, 1H); LRMS 354 (M+H, base); Anal. Calcd for $C_{21}H_{23}NO_4$: %C, 71.37; %H, 6.56; %N, 3.96. Found: %C, 71.39; %H, 6.57; %N, 3.92.

Part C: Using the method described above for the preparation of Example 78, Part D, (1R)-5-bromo-[(4R)-N-(3-phenylpropionyl)-4-(benzyl)oxy-(L)-prolyl]aminopentane-1-boronic acid (+)-pinanediol ester was isolated (2.80 g) as an oil in 90% yield. LRMS 679, 681 (M+H, base).

Part D: Using the method described above for Example 78, Part E, (1R)-5-azido-[(4R)-N-(3-phenylpropionyl)-4-(benzyl)oxy-(L)-prolyl]aminopentane-1-boronic acid (+)-pinanediol ester was isolated (2.31 g) as an oil in 94% yield. LRMS 642 (M+H, base).

Part E: A solution of product from Part D (2.24 g, 3.50 mmol) in MeOH (35 mL) together with palladium on charcoal (225 mg) was stirred under hydrogen (1 atm) for 1 hour. The reaction mixture was filtered through a pad of Celite with additional MeOH (ca. 30 mL) and the filtrate was concentrated under reduced pressure to give a foam which contained a small amount of unreacted azide. This material was resubjected to the hydrogenation conditions described above to afford the title compound (2.00 g) as a white foam in 93% yield. LRMS 616 (M+H, base).

Example 303a

*N*¹-[(4*R*)-*N*-(3-Phenylpropionyl)-4-(benzyl)oxy-(*L*)-prolyl]-*R*-borolysine, (+)-pinanediol ester, benzenesulfonate

A solution of Example 303 (2.00 g, 3.25 mmol) in
5 methanol (25 mL) was treated with a solution of
benzenesulfonic acid (0.514 g, 3.25 mmol) in methanol (8
mL). The mixture was allowed to stand at room
temperature for 15 minutes and concentrated under
reduced pressure to give a foam. The residue was washed
10 with Et₂O (2 x 25 mL), which was decanted, then
dissolved in EtOAc (ca. 20 mL) and triturated with Et₂O
(ca. 75 mL) to afford an oily material which was washed
with Et₂O (2 x 25 mL). The excess solvent was removed
in vacuo to give the title compound (2.00 g) as a powder
15 in 79% yield. LRMS 616 (M+H, base); HRMS Calcd for
C₃₆H₅₁BN₃O₅: 616.3922. Found: 616.3921.

Example 375

20 *N*¹-[(4*R*)-*N*-(3-Phenylpropionyl)-4-(benzyl)amino-(*L*)-
prolyl]-*R*-borolysine, (+)-pinanediol ester,
hydrochloride

Part A: A mixture of the product from Example 302,
Part C (3.00g, 10.1 mmol) and NaN₃ (3.30 g, 50.7 mmol)
25 in DMF (15 mL) was heated to 75 °C for 18 hours. The
reaction mixture was dissolved in H₂O (25 mL). The
aqueous solution was extracted with Et₂O (3 x 25 mL),
dried with MgSO₄ and concentrated to give (4*R*)-*N*-(3-
phenylpropionyl)-4-azido-(*L*)-proline methyl ester (2.13
30 g) as an oil in 83% yield. ¹H NMR (300 MHz, CDCl₃) δ
7.25 (comp, 5H), 4.56 (m, 1H), 4.26 (m, 1H), 3.77 (s,
3H), 3.75 (m, 1H), 3.40 (dd, J = 8, 2 Hz, 1H), 2.97 (m,
2H), 2.60 (m, 2H), 2.32 (comp, 2H). LRMS 303.1 (M+H,
base).


Part B: Using the method described above for the preparation of Example 78, Part F, (4R)-N-(3-phenylpropionyl)-4-amino-(L)-proline methyl ester was isolated (2.43 g) as an oil in 85% yield. ¹H NMR (300 MHz, CDCl₃) δ 7.24 (comp, 5H), 4.58 (m, 1H), 3.74 (m, 2H), 3.73 (s, 3H), 3.01 (m, 3H), 2.60 (m, 2H), 2.12 (m, 1H), 1.94 (m, 1H). LRMS 277.1 (M+H, base).

Part C: A mixture of the product from Part B (1.51 g, 5.46 mmol), benzaldehyde (0.58 g, 5.46 mmol), potassium acetate (0.54 g, 5.46 mmol) and 5% palladium on charcoal (0.21 g) was stirred in MeOH (25 mL) under hydrogen (3 atm) for 5 hours. The reaction mixture was filtered through a pad of Celite with additional MeOH (ca. 10 mL) and the filtrate concentrated under reduced pressure to give (4R)-N-(3-phenylpropionyl)-4-(benzyl)amino-(L)-proline methyl ester (2.00 g) as an oil in quantitative yield. ¹H NMR (300 MHz, CDCl₃) δ 7.27 (comp, 10H), 4.58 (m, 1H), 3.73 (comp, 4H), 3.50 (m, 1H), 3.44 (s, 3H), 3.15 (m, 1H), 2.96 (t, J = 7 Hz, 2H), 2.55 (m, 2H), 2.09 (m, 2H). LRMS 367.2 (M+H, base).

Part D: A solution of the product from Part C (2.00 g, 5.46 mmol) methanol (15 mL) and 1N sodium hydroxide (9 mL) was stirred for 24 hours. The pH of the solution was adjusted to 6 with 1N HCl and a white precipitate formed. The solid material was collected by suction filtration to give (4R)-N-(3-phenylpropionyl)-4-(benzyl)amino-(L)-proline (1.31 g) as a white powder in 68% yield. LRMS 353.2 (M+H, base).

Part E: Using the method described above for the preparation of Example 78, Part D, (1R)-5-bromo-[(4R)-N-(3-phenylpropionyl)-4-(benzyl)amino-(L)-prolyl]aminopentane-1-boronic acid, (+)-pinanediol ester was isolated (0.71 g) as an oil in 49% yield. LRMS 678.3 680.3 (M+H, base).

Table 1




Ex.No	R^A	R^6	R^7	R^8	R^9	R^{10}	W	Z	i	u	Data
1	H	-	-	-	-	CH ₃	-	CO	0	0	
2	H	-	-	-	-	CH ₃	CH ₂	CO	0	0	
3	H	H	H	-	-	CH ₃	CH ₂	CO	1	0	
4	H	H	H	H	H	CH ₃	CH ₂	CO	1	1	
5	H	CH ₃	CH ₃	-	-	CH ₃	CH ₂	CO	1	0	
6	H	-	-	CH ₃	CH ₃	CH ₃	CH ₂	CO	0	1	
7	H	-	-	Ph	H	CH ₃	-	CO	0	1	
8	H	H	H	-	-	CH ₃	O	CO	1	0	
9	H	CH ₃	CH ₃	-	-	CH ₃	O	CO	1	0	
10	H	H	H	-	-	CH ₃	SO ₂	CO	1	0	
11	2-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	
12	3-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	
13	2,3-diCH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	
14	2-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	
15	3-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	
16	4-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	
17	2-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	
18	3-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	
19	2-NO ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	
20	3-NO ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	
21	2-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	

22	3-N	H	H	-	-	CH ₃	CH ₂	CO	1	0
23	4-N	H	H	-	-	CH ₃	CH ₂	CO	1	0
24	H	H	H	-	-	(CH ₂) ₂ Ph	O	CO	1	0
25	H	CH ₃	CH ₃	-	-	(CH ₂) ₂ Ph	O	CO	0	1
26	H	H	H	-	-	(CH ₂) ₂ Ph	SO ₂	CO	1	0
27	H	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
28	H	CH ₃	CH ₃	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
29	H	-	-	CH ₃	CH ₃	(CH ₂) ₂ Ph	CH ₂	CO	0	1
30	2-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
31	3-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
32	2,3-diCH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
33	2-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
34	3-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
35	4-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
36	2-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
37	3-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
38	2-NO ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
39	3-NO ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
40	2-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
41	3-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
42	4-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0
43	H	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
44	H	CH ₃	CH ₃	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
45	H	-	-	CH ₃	CH ₃	CH ₂ Ph	CH ₂	C(O)O	0	1
46	2-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
47	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
48	2,3-diCH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
49	2-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
50	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
51	4-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
52	2-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
53	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
54	2-NO ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
55	3-NO ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
56	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0

57	3-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
58	4-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
59	H	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
60	H	CH ₃	CH ₃	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
61	H	-	-	CH ₃	CH ₃	CH ₂ Ph	CH ₂	C(O)NH	0	1
62	2-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
63	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
64	2,3-diCH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
65	2-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
66	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
67	4-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
68	2-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
69	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
70	2-NO ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
71	3-NO ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
72	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
73	3-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
74	4-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
75	H	H	H	-	-	CH ₂ OPh	CH ₂	CO	1	0

Table 2




Ex.No	R^A	R^6	R^7	R^8	R^9	R^{10}	W	Z	t	u	Data
76	H	-	-	-	-	CH ₃	-	CO	0	0	A
77	H	-	-	-	-	CH ₃	CH ₂	CO	0	0	B
78	H	H	H	-	-	CH ₃	CH ₂	CO	1	0	C
79	H	H	H	H	H	CH ₃	CH ₂	CO	1	1	D
80	H	CH ₃	CH ₃	-	-	CH ₃	CH ₂	CO	1	0	E
81	H	-	-	CH ₃	CH ₃	CH ₃	CH ₂	CO	0	1	F
82	H	-	-	Ph	H	CH ₃	-	CO	0	1	G
83	H	H	H	-	-	CH ₃	O	CO	1	0	H
84	H	CH ₃	CH ₃	-	-	CH ₃	O	CO	1	0	
85	H	H	H	-	-	CH ₃	SO ₂	CO	1	0	I
86	2-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	
87	3-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	
88	2,3-diCH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	
89	2-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	
90	3-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	J
91	4-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	
92	2-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	
93	3-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	
94	2-NO ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	
95	3-NO ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	
96	2-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	

97	3-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	K
98	4-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	
99	H	H	H	-	-	(CH ₂) ₂ Ph	O	CO	1	0	
100	H	CH ₃	CH ₃	-	-	(CH ₂) ₂ Ph	O	CO	0	1	
101	H	H	H	-	-	(CH ₂) ₂ Ph	SO ₂	CO	1	0	
102	H	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	L
103	H	CH ₃	CH ₃	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
114	H	-	-	CH ₃	CH ₃	(CH ₂) ₂ Ph	CH ₂	CO	0	1	
105	2-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
106	3-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
107	2,3-diCH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
108	2-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
109	3-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
110	4-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
111	2-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
112	3-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
113	2-NO ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
114	3-NO ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
115	2-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
116	3-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
117	4-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	
118	H	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
119	H	CH ₃	CH ₃	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
120	H	-	-	CH ₃	CH ₃	CH ₂ Ph	CH ₂	C(O)O	0	1	
121	2-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
122	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
123	2,3-diCH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
124	2-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
125	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
126	4-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
127	2-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
128	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
129	2-NO ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
130	3-NO ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	
131	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	

132	3-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
133	4-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0
134	H	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
135	H	CH ₃	CH ₃	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
136	H	-	-	CH ₃	CH ₃	CH ₂ Ph	CH ₂	C(O)NH	0	1
137	2-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
138	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
139	2,3-diCH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
140	2-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
141	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
142	4-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
143	2-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
144	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
145	2-NO ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
146	3-NO ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
147	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
148	3-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
149	4-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0
150	H	H	H	-	-	CH ₂ OPh	CH ₂	CO	1	0

Table 3



Ex.No	RA	RB	R6	R7	Z	V	W	u	Data
151	H	H	H	H	C(O)O	O	-	1	
152	H	H	H	H	CO	O	CH2	0	
153	H	H	CH3	CH3	CO	S	CH2	0	
154	H	H	H	H	CO	O	CH2	1	BSA salt, M
155	H	2'-CH3	H	H	CO	O	CH2	1	
156	H	3'-CH3	H	H	CO	O	CH2	1	N
157	H	2', 3'-diCH3	H	H	CO	O	CH2	1	
158	H	2'-F	H	H	CO	O	CH2	1	
159	H	3'-F	H	H	CO	O	CH2	1	
160	H	2'-N	H	H	CO	O	CH2	1	
161	H	3'-N	H	H	CO	O	CH2	1	
162	3-CH3	H	H	H	CO	O	CH2	1	
163	3-CH3	2'-CH3	H	H	CO	O	CH2	1	
164	3-CH3	3'-CH3	H	H	CO	O	CH2	1	
165	3-CH3	2', 3'-diCH3	H	H	CO	O	CH2	1	
166	3-CH3	2'-F	H	H	CO	O	CH2	1	
167	3-CH3	3'-F	H	H	CO	O	CH2	1	
168	3-CH3	2'-N	H	H	CO	O	CH2	1	
169	3-CH3	3'-N	H	H	CO	O	CH2	1	
170	2-F	H	H	H	CO	O	CH2	1	
171	2-F	2'-CH3	H	H	CO	O	CH2	1	


172	2-F	3'-CH ₃	H	H	CO	O	CH ₂	1	
173	2-F	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
174	2-F	2'-F	H	H	CO	O	CH ₂	1	
175	2-F	3'-F	H	H	CO	O	CH ₂	1	
176	2-F	2'-N	H	H	CO	O	CH ₂	1	
177	2-F	3'-N	H	H	CO	O	CH ₂	1	
178	3-F	H	H	H	CO	O	CH ₂	1	O
179	3-F	2'-CH ₃	H	H	CO	O	CH ₂	1	
170	3-F	3'-CH ₃	H	H	CO	O	CH ₂	1	
181	3-F	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
182	3-F	2'-F	H	H	CO	O	CH ₂	1	
183	3-F	3'-F	H	H	CO	O	CH ₂	1	
184	3-F	2'-N	H	H	CO	O	CH ₂	1	
185	3-F	3'-N	H	H	CO	O	CH ₂	1	
186	3-NH ₂	H	H	H	CO	O	CH ₂	1	
187	3-NH ₂	2'-CH ₃	H	H	CO	O	CH ₂	1	
188	3-NH ₂	3'-CH ₃	H	H	CO	O	CH ₂	1	
189	3-NH ₂	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
190	3-NH ₂	2'-F	H	H	CO	O	CH ₂	1	
191	3-NH ₂	3'-F	H	H	CO	O	CH ₂	1	
192	3-NH ₂	2'-N	H	H	CO	O	CH ₂	1	
193	3-NH ₂	3'-N	H	H	CO	O	CH ₂	1	
194	3-NO ₂	H	H	H	CO	O	CH ₂	1	
195	3-NO ₂	2'-CH ₃	H	H	CO	O	CH ₂	1	
196	3-NO ₂	3'-CH ₃	H	H	CO	O	CH ₂	1	
197	3-NO ₂	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
198	3-NO ₂	2'-F	H	H	CO	O	CH ₂	1	
199	3-NO ₂	3'-F	H	H	CO	O	CH ₂	1	
200	3-NO ₂	2'-N	H	H	CO	O	CH ₂	1	
201	3-NO ₂	3'-N	H	H	CO	O	CH ₂	1	
202	2-N	H	H	H	CO	O	CH ₂	1	
203	2-N	2'-CH ₃	H	H	CO	O	CH ₂	1	
204	2-N	3'-CH ₃	H	H	CO	O	CH ₂	1	
205	2-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
206	2-N	2'-F	H	H	CO	O	CH ₂	1	

207	2-N	3'-F	H	H	CO	O	CH ₂	1
208	2-N	2'-N	H	H	CO	O	CH ₂	1
209	2-N	3'-N	H	H	CO	O	CH ₂	1
210	3-N	H	H	H	CO	O	CH ₂	1
211	3-N	2'-CH ₃	H	H	CO	O	CH ₂	1
212	3-N	3'-CH ₃	H	H	CO	O	CH ₂	1
213	3-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1
214	3-N	2'-F	H	H	CO	O	CH ₂	1
215	3-N	3'-F	H	H	CO	O	CH ₂	1
216	3-N	2'-N	H	H	CO	O	CH ₂	1
217	3-N	3'-N	H	H	CO	O	CH ₂	1
218	4-N	H	H	H	CO	O	CH ₂	1
219	4-N	2'-CH ₃	H	H	CO	O	CH ₂	1
220	4-N	3'-CH ₃	H	H	CO	O	CH ₂	1
221	4-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1
222	4-N	2'-F	H	H	CO	O	CH ₂	1
223	4-N	3'-F	H	H	CO	O	CH ₂	1
224	4-N	2'-N	H	H	CO	O	CH ₂	1
225	4-N	3'-N	H	H	CO	O	CH ₂	1
226	H	H	H	H	CO	O	O	0
227	H	H	CH ₃	CH ₃	CO	S	O	0
228	H	H	H	H	CO	O	O	1
229	H	2'-CH ₃	H	H	CO	O	O	1
230	H	3'-CH ₃	H	H	CO	O	O	1
231	H	2', 3'-diCH ₃	H	H	CO	O	O	1
232	H	2'-F	H	H	CO	O	O	1
233	H	3'-F	H	H	CO	O	O	1
234	H	2'-N	H	H	CO	O	O	1
235	H	3'-N	H	H	CO	O	O	1
236	3-CH ₃	H	H	H	CO	O	O	1
237	3-CH ₃	2'-CH ₃	H	H	CO	O	O	1
238	3-CH ₃	3'-CH ₃	H	H	CO	O	O	1
239	3-CH ₃	2', 3'-diCH ₃	H	H	CO	O	O	1
240	3-CH ₃	2'-F	H	H	CO	O	O	1
241	3-CH ₃	3'-F	H	H	CO	O	O	1

242	3-CH ₃	2'-N	H	H	CO	O	O	1
243	3-CH ₃	3'-N	H	H	CO	O	O	1
244	2-F	H	H	H	CO	O	O	1
245	2-F	2'-CH ₃	H	H	CO	O	O	1
246	2-F	3'-CH ₃	H	H	CO	O	O	1
247	2-F	2', 3'-diCH ₃	H	H	CO	O	O	1
248	2-F	2'-F	H	H	CO	O	O	1
249	2-F	3'-F	H	H	CO	O	O	1
250	2-F	2'-N	H	H	CO	O	O	1
251	2-F	3'-N	H	H	CO	O	O	1
252	3-F	H	H	H	CO	O	O	1
253	3-F	2'-CH ₃	H	H	CO	O	O	1
254	3-F	3'-CH ₃	H	H	CO	O	O	1
255	3-F	2', 3'-diCH ₃	H	H	CO	O	O	1
256	3-F	2'-F	H	H	CO	O	O	1
257	3-F	3'-F	H	H	CO	O	O	1
258	3-F	2'-N	H	H	CO	O	O	1
259	3-F	3'-N	H	H	CO	O	O	1
260	3-NH ₂	H	H	H	CO	O	O	1
261	3-NH ₂	2'-CH ₃	H	H	CO	O	O	1
262	3-NH ₂	3'-CH ₃	H	H	CO	O	O	1
263	3-NH ₂	2', 3'-diCH ₃	H	H	CO	O	O	1
264	3-NH ₂	2'-F	H	H	CO	O	O	1
265	3-NH ₂	3'-F	H	H	CO	O	O	1
266	3-NH ₂	2'-N	H	H	CO	O	O	1
267	3-NH ₂	3'-N	H	H	CO	O	O	1
268	3-NO ₂	H	H	H	CO	O	O	1
269	3-NO ₂	2'-CH ₃	H	H	CO	O	O	1
270	3-NO ₂	3'-CH ₃	H	H	CO	O	O	1
271	3-NO ₂	2', 3'-diCH ₃	H	H	CO	O	O	1
272	3-NO ₂	2'-F	H	H	CO	O	O	1
273	3-NO ₂	3'-F	H	H	CO	O	O	1
274	3-NO ₂	2'-N	H	H	CO	O	O	1
275	3-NO ₂	3'-N	H	H	CO	O	O	1
276	2-N	H	H	H	CO	O	O	1

277	2-N	2'-CH ₃	H	H	CO	O	O	1
278	2-N	3'-CH ₃	H	H	CO	O	O	1
279	2-N	2', 3'-diCH ₃	H	H	CO	O	O	1
280	2-N	2'-F	H	H	CO	O	O	1
281	2-N	3'-F	H	H	CO	O	O	1
282	2-N	2'-N	H	H	CO	O	O	1
283	2-N	3'-N	H	H	CO	O	O	1
284	3-N	H	H	H	CO	O	O	1
285	3-N	2'-CH ₃	H	H	CO	O	O	1
286	3-N	3'-CH ₃	H	H	CO	O	O	1
287	3-N	2', 3'-diCH ₃	H	H	CO	O	O	1
288	3-N	2'-F	H	H	CO	O	O	1
289	3-N	3'-F	H	H	CO	O	O	1
290	3-N	2'-N	H	H	CO	O	O	1
291	3-N	3'-N	H	H	CO	O	O	1
292	4-N	H	H	H	CO	O	O	1
293	4-N	2'-CH ₃	H	H	CO	O	O	1
294	4-N	3'-CH ₃	H	H	CO	O	O	1
295	4-N	2', 3'-diCH ₃	H	H	CO	O	O	1
296	4-N	2'-F	H	H	CO	O	O	1
297	4-N	3'-F	H	H	CO	O	O	1
298	4-N	2'-N	H	H	CO	O	O	1
299	4-N	3'-N	H	H	CO	O	O	1

Table 4



Ex.No	R^A	R^B	R^6	R^7	Z	V	W	u	Data
300	H	H	H	H	C(O)O	O	-	1	
301	H	H	H	H	CO	O	CH ₂	0	
302	H	H	H	H	CO	S	CH ₂	0	P
303	H	H	H	H	CO	O	CH ₂	1	Q
303a	H	H	H	H	CO	O	CH ₂	1	BSA salt
304	H	2'-CH ₃	H	H	CO	O	CH ₂	1	
305	H	3'-CH ₃	H	H	CO	O	CH ₂	1	R
306	H	2',3'-diCH ₃	H	H	CO	O	CH ₂	1	
307	H	2'-F	H	H	CO	O	CH ₂	1	
308	H	3'-F	H	H	CO	O	CH ₂	1	
309	H	2'-N	H	H	CO	O	CH ₂	1	
310	H	3'-N	H	H	CO	O	CH ₂	1	S
311	3-CH ₃	H	H	H	CO	O	CH ₂	1	
312	3-CH ₃	2'-CH ₃	H	H	CO	O	CH ₂	1	
313	3-CH ₃	3'-CH ₃	H	H	CO	O	CH ₂	1	
314	3-CH ₃	2',3'-diCH ₃	H	H	CO	O	CH ₂	1	
315	3-CH ₃	2'-F	H	H	CO	O	CH ₂	1	
316	3-CH ₃	3'-F	H	H	CO	O	CH ₂	1	
317	3-CH ₃	2'-N	H	H	CO	O	CH ₂	1	
318	3-CH ₃	3'-N	H	H	CO	O	CH ₂	1	
319	2-F	H	H	H	CO	O	CH ₂	1	


320	2-F	2'-CH ₃	H	H	CO	O	CH ₂	1	
321	2-F	3'-CH ₃	H	H	CO	O	CH ₂	1	
322	2-F	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
323	2-F	2'-F	H	H	CO	O	CH ₂	1	
324	2-F	3'-F	H	H	CO	O	CH ₂	1	
325	2-F	2'-N	H	H	CO	O	CH ₂	1	
326	2-F	3'-N	H	H	CO	O	CH ₂	1	
327	3-F	H	H	H	CO	O	CH ₂	1	T
328	3-F	2'-CH ₃	H	H	CO	O	CH ₂	1	
329	3-F	3'-CH ₃	H	H	CO	O	CH ₂	1	
330	3-F	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
331	3-F	2'-F	H	H	CO	O	CH ₂	1	
332	3-F	3'-F	H	H	CO	O	CH ₂	1	
333	3-F	2'-N	H	H	CO	O	CH ₂	1	
334	3-F	3'-N	H	H	CO	O	CH ₂	1	
335	3-NH ₂	H	H	H	CO	O	CH ₂	1	U
336	3-NH ₂	2'-CH ₃	H	H	CO	O	CH ₂	1	
337	3-NH ₂	3'-CH ₃	H	H	CO	O	CH ₂	1	
338	3-NH ₂	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
339	3-NH ₂	2'-F	H	H	CO	O	CH ₂	1	
340	3-NH ₂	3'-F	H	H	CO	O	CH ₂	1	
341	3-NH ₂	2'-N	H	H	CO	O	CH ₂	1	
342	3-NH ₂	3'-N	H	H	CO	O	CH ₂	1	
343	3-NO ₂	H	H	H	CO	O	CH ₂	1	
344	3-NO ₂	2'-CH ₃	H	H	CO	O	CH ₂	1	
345	3-NO ₂	3'-CH ₃	H	H	CO	O	CH ₂	1	
346	3-NO ₂	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
347	3-NO ₂	2'-F	H	H	CO	O	CH ₂	1	
348	3-NO ₂	3'-F	H	H	CO	O	CH ₂	1	
349	3-NO ₂	2'-N	H	H	CO	O	CH ₂	1	
350	3-NO ₂	3'-N	H	H	CO	O	CH ₂	1	
351	2-N	H	H	H	CO	O	CH ₂	1	
352	2-N	2'-CH ₃	H	H	CO	O	CH ₂	1	
353	2-N	3'-CH ₃	H	H	CO	O	CH ₂	1	
354	2-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	

355	2-N	2'-F	H	H	CO	O	CH ₂	1	
356	2-N	3'-F	H	H	CO	O	CH ₂	1	
357	2-N	2'-N	H	H	CO	O	CH ₂	1	
358	2-N	3'-N	H	H	CO	O	CH ₂	1	
359	3-N	H	H	H	CO	O	CH ₂	1	
360	3-N	2'-CH ₃	H	H	CO	O	CH ₂	1	
361	3-N	3'-CH ₃	H	H	CO	O	CH ₂	1	
362	3-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
363	3-N	2'-F	H	H	CO	O	CH ₂	1	
364	3-N	3'-F	H	H	CO	O	CH ₂	1	
365	3-N	2'-N	H	H	CO	O	CH ₂	1	
366	3-N	3'-N	H	H	CO	O	CH ₂	1	
367	4-N	H	H	H	CO	O	CH ₂	1	
368	4-N	2'-CH ₃	H	H	CO	O	CH ₂	1	
369	4-N	3'-CH ₃	H	H	CO	O	CH ₂	1	
370	4-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
371	4-N	2'-F	H	H	CO	O	CH ₂	1	
372	4-N	3'-F	H	H	CO	O	CH ₂	1	
373	4-N	2'-N	H	H	CO	O	CH ₂	1	
374	4-N	3'-N	H	H	CO	O	CH ₂	1	
375	H	H	H	H	CO	NH	CH ₂	1	y
376	H	H	H	H	CO	O	(CH ₂ CH ₂)	1	K
377	H	H	H	H	CO	O	O	1	W
378	H	2'-CH ₃	H	H	CO	O	O	1	
379	H	3'-CH ₃	H	H	CO	O	O	1	X
380	H	2', 3'-diCH ₃	H	H	CO	O	O	1	
381	H	2'-F	H	H	CO	O	O	1	
382	H	3'-F	H	H	CO	O	O	1	WW
383	H	2'-N	H	H	CO	O	O	1	
384	H	3'-N	H	H	CO	O	O	1	
385	3-CH ₃	H	H	H	CO	O	O	1	
386	3-CH ₃	2'-CH ₃	H	H	CO	O	O	1	
387	3-CH ₃	3'-CH ₃	H	H	CO	O	O	1	
398	3-CH ₃	2', 3'-diCH ₃	H	H	CO	O	O	1	

399	3-CH ₃	2'-F	H	H	CO	O	O	1
390	3-CH ₃	3'-F	H	H	CO	O	O	1
391	3-CH ₃	2'-N	H	H	CO	O	O	1
392	3-CH ₃	3'-N	H	H	CO	O	O	1
393	2-F	H	H	H	CO	O	O	1
394	2-F	2'-CH ₃	H	H	CO	O	O	1
395	2-F	3'-CH ₃	H	H	CO	O	O	1
396	2-F	2', 3'-diCH ₃	H	H	CO	O	O	1
397	2-F	2'-F	H	H	CO	O	O	1
398	2-F	3'-F	H	H	CO	O	O	1
399	2-F	2'-N	H	H	CO	O	O	1
400	2-F	3'-N	H	H	CO	O	O	1
401	3-F	H	H	H	CO	O	O	1
402	3-F	2'-CH ₃	H	H	CO	O	O	1
403	3-F	3'-CH ₃	H	H	CO	O	O	1
404	3-F	2', 3'-diCH ₃	H	H	CO	O	O	1
405	3-F	2'-F	H	H	CO	O	O	1
406	3-F	3'-F	H	H	CO	O	O	1
407	3-F	2'-N	H	H	CO	O	O	1
408	3-F	3'-N	H	H	CO	O	O	1
409	3-NH ₂	H	H	H	CO	O	O	1
410	3-NH ₂	2'-CH ₃	H	H	CO	O	O	1
411	3-NH ₂	3'-CH ₃	H	H	CO	O	O	1
412	3-NH ₂	2', 3'-diCH ₃	H	H	CO	O	O	1
413	3-NH ₂	2'-F	H	H	CO	O	O	1
414	3-NH ₂	3'-F	H	H	CO	O	O	1
415	3-NH ₂	2'-N	H	H	CO	O	O	1
416	3-NH ₂	3'-N	H	H	CO	O	O	1
417	3-NO ₂	H	H	H	CO	O	O	1
418	3-NO ₂	2'-CH ₃	H	H	CO	O	O	1
419	3-NO ₂	3'-CH ₃	H	H	CO	O	O	1
420	3-NO ₂	2', 3'-diCH ₃	H	H	CO	O	O	1
421	3-NO ₂	2'-F	H	H	CO	O	O	1
422	3-NO ₂	3'-F	H	H	CO	O	O	1
423	3-NO ₂	2'-N	H	H	CO	O	O	1

424	3-NO ₂	3'-N	H	H	CO	O	O	1
425	2-N	H	H	H	CO	O	O	1
426	2-N	2'-CH ₃	H	H	CO	O	O	1
427	2-N	3'-CH ₃	H	H	CO	O	O	1
428	2-N	2', 3'-diCH ₃	H	H	CO	O	O	1
429	2-N	2'-F	H	H	CO	O	O	1
430	2-N	3'-F	H	H	CO	O	O	1
431	2-N	2'-N	H	H	CO	O	O	1
432	2-N	3'-N	H	H	CO	O	O	1
433	3-N	H	H	H	CO	O	O	1
434	3-N	2'-CH ₃	H	H	CO	O	O	1
435	3-N	3'-CH ₃	H	H	CO	O	O	1
436	3-N	2', 3'-diCH ₃	H	H	CO	O	O	1
437	3-N	2'-F	H	H	CO	O	O	1
438	3-N	3'-F	H	H	CO	O	O	1
439	3-N	2'-N	H	H	CO	O	O	1
440	3-N	3'-N	H	H	CO	O	O	1
441	4-N	H	H	H	CO	O	O	1
442	4-N	2'-CH ₃	H	H	CO	O	O	1
443	4-N	3'-CH ₃	H	H	CO	O	O	1
444	4-N	2', 3'-diCH ₃	H	H	CO	O	O	1
445	4-N	2'-F	H	H	CO	O	O	1
446	4-N	3'-F	H	H	CO	O	O	1
447	4-N	2'-N	H	H	CO	O	O	1
448	4-N	3'-N	H	H	CO	O	O	1

Table 5




Ex.No	R ^A	R ⁶	R ⁷	R ⁸	R ⁹	R ¹⁰	W	Z	t	u	R ^X	Data
449	H	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
450	H	CH ₃	CH ₃	-	-	CH ₃	CH ₂	CO	1	0	H	
451	H	-	-	CH ₃	CH ₃	CH ₃	CH ₂	CO	0	1	H	
452	H	H	H	-	-	CH ₃	O	CO	1	0	H	
453	H	CH ₃	CH ₃	-	-	CH ₃	O	CO	1	0	H	
454	H	H	H	-	-	CH ₃	SO ₂	CO	1	0	H	
455	3-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
456	3-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
457	3-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
458	2-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
459	3-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H	
460	3-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H	
461	3-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H	
462	2-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H	
463	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H	
464	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H	
465	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H	
466	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H	
467	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H	
468	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H	
469	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H	
470	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H	
471	H	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N	

472	H	CH ₃	CH ₃	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
473	H	-	-	CH ₃	CH ₃	CH ₃	CH ₂	CO	0	1	H ₂ N
474	H	H	H	-	-	CH ₃	O	CO	1	0	H ₂ N
475	H	CH ₃	CH ₃	-	-	CH ₃	O	CO	1	0	H ₂ N
476	H	H	H	-	-	CH ₃	SO ₂	CO	1	0	H ₂ N
477	3-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
478	3-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
479	3-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
480	2-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
481	3-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H ₂ N
482	3-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H ₂ N
483	3-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H ₂ N
484	2-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H ₂ N
485	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H ₂ N
486	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H ₂ N
487	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H ₂ N
488	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H ₂ N
489	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H ₂ N
490	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H ₂ N
491	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H ₂ N
492	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H ₂ N
493	H	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
494	H	CH ₃	CH ₃	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
495	H	-	-	CH ₃	CH ₃	CH ₃	CH ₂	CO	0	1	CH ₃ NH
496	H	H	H	-	-	CH ₃	O	CO	1	0	CH ₃ NH
497	H	CH ₃	CH ₃	-	-	CH ₃	O	CO	1	0	CH ₃ NH
498	H	H	H	-	-	CH ₃	SO ₂	CO	1	0	CH ₃ NH
499	3-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
500	3-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
501	3-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
502	2-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
503	3-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	CH ₃ NH
504	3-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	CH ₃ NH
505	3-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	CH ₃ NH
506	2-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	CH ₃ NH

507	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	CH ₃ NH
508	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	CH ₃ NH
509	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	CH ₃ NH
510	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	CH ₃ NH
511	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	CH ₃ NH
512	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	CH ₃ NH
513	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	CH ₃ NH
514	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	CH ₃ NH

Table 6




Ex.No	R ^A	R ⁶	R ⁷	R ⁸	R ⁹	R ¹⁰	W	Z	i	u	R ^X	Data
515	H	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
516	H	CH ₃	CH ₃	-	-	CH ₃	CH ₂	CO	1	0	H	
517	H	-	-	CH ₃	CH ₃	CH ₃	CH ₂	CO	0	1	H	
518	H	H	H	-	-	CH ₃	O	CO	1	0	H	
519	H	CH ₃	CH ₃	-	-	CH ₃	O	CO	1	0	H	
520	H	H	H	-	-	CH ₃	SO ₂	CO	1	0	H	
521	3-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
522	3-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
523	3-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
524	2-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	H	
525	3-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H	

526	3-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H
527	3-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H
528	2-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H
529	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H
530	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H
531	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H
532	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H
533	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H
534	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H
535	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H
536	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H
537	H	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
538	H	CH ₃	CH ₃	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
539	H	-	-	CH ₃	CH ₃	CH ₃	CH ₂	CO	0	1	H ₂ N
540	H	H	H	-	-	CH ₃	O	CO	1	0	H ₂ N
541	H	CH ₃	CH ₃	-	-	CH ₃	O	CO	1	0	H ₂ N
542	H	H	H	-	-	CH ₃	SO ₂	CO	1	0	H ₂ N
543	3-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
544	3-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
545	3-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
546	2-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	H ₂ N
547	3-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H ₂ N
548	3-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H ₂ N
549	3-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H ₂ N
550	2-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	H ₂ N
551	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H ₂ N
552	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H ₂ N
553	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H ₂ N
554	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	H ₂ N
555	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H ₂ N
556	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H ₂ N
557	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H ₂ N
558	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	H ₂ N
559	H	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
560	H	CH ₃	CH ₃	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH

561	H	-	-	CH ₃	CH ₃	CH ₃	CH ₂	CO	0	1	CH ₃ NH
562	H	H	H	-	-	CH ₃	O	CO	1	0	CH ₃ NH
563	H	CH ₃	CH ₃	-	-	CH ₃	O	CO	1	0	CH ₃ NH
564	H	H	H	-	-	CH ₃	SO ₂	CO	1	0	CH ₃ NH
565	3-CH ₃	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
566	3-F	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
567	3-NH ₂	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
568	2-N	H	H	-	-	CH ₃	CH ₂	CO	1	0	CH ₃ NH
569	3-CH ₃	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	CH ₃ NH
570	3-F	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	CH ₃ NH
571	3-NH ₂	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	CH ₃ NH
572	2-N	H	H	-	-	(CH ₂) ₂ Ph	CH ₂	CO	1	0	CH ₃ NH
573	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	CH ₃ NH
574	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	CH ₃ NH
575	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	CH ₃ NH
576	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)O	1	0	CH ₃ NH
577	3-CH ₃	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	CH ₃ NH
578	3-F	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	CH ₃ NH
579	3-NH ₂	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	CH ₃ NH
580	2-N	H	H	-	-	CH ₂ Ph	CH ₂	C(O)NH	1	0	CH ₃ NH

Table 7



Ex No.	RA	R ¹⁰	Z	V	u	Data
581	H	CH ₃	CO	O	0	
582	3-CH ₃	CH ₃	CO	O	0	
583	4-CH ₃	CH ₃	CO	O	0	
584	2-F	CH ₃	CO	O	0	
585	3-F	CH ₃	CO	O	0	
586	4-F	CH ₃	CO	O	0	
587	3-NH ₂	CH ₃	CO	O	0	
588	4-NH ₂	CH ₃	CO	O	0	
589	3-NO ₂	CH ₃	CO	O	0	
590	4-NO ₂	CH ₃	CO	O	0	
591	3-N	CH ₃	CO	O	0	
592	4-N	CH ₃	CO	O	0	
593	H	CH ₃	CO	S	0	
594	3-CH ₃	CH ₃	CO	S	0	
595	4-CH ₃	CH ₃	CO	S	0	
596	2-F	CH ₃	CO	S	0	
597	3-F	CH ₃	CO	S	0	
598	4-F	CH ₃	CO	S	0	
599	3-NH ₂	CH ₃	CO	S	0	
600	4-NH ₂	CH ₃	CO	S	0	
601	3-NO ₂	CH ₃	CO	S	0	
602	4-NO ₂	CH ₃	CO	S	0	
603	3-N	CH ₃	CO	S	0	
604	4-N	CH ₃	CO	S	0	
605	H	CH(CH ₃) ₂	CO	O	0	
606	3-CH ₃	CH(CH ₃) ₂	CO	O	0	
607	4-CH ₃	CH(CH ₃) ₂	CO	O	0	
608	2-F	CH(CH ₃) ₂	CO	O	0	
609	3-F	CH(CH ₃) ₂	CO	O	0	
610	4-F	CH(CH ₃) ₂	CO	O	0	
611	3-NH ₂	CH(CH ₃) ₂	CO	O	0	
612	4-NH ₂	CH(CH ₃) ₂	CO	O	0	
613	3-NO ₂	CH(CH ₃) ₂	CO	O	0	
614	4-NO ₂	CH(CH ₃) ₂	CO	O	0	

615	3-N	CH(CH ₃) ₂	CO	O	0
616	4-N	CH(CH ₃) ₂	CO	O	0
617	H	CH(CH ₃) ₂	CO	S	0
618	3-CH ₃	CH(CH ₃) ₂	CO	S	0
619	4-CH ₃	CH(CH ₃) ₂	CO	S	0
620	2-F	CH(CH ₃) ₂	CO	S	0
621	3-F	CH(CH ₃) ₂	CO	S	0
622	4-F	CH(CH ₃) ₂	CO	S	0
623	3-NH ₂	CH(CH ₃) ₂	CO	S	0
624	4-NH ₂	CH(CH ₃) ₂	CO	S	0
625	3-NO ₂	CH(CH ₃) ₂	CO	S	0
626	4-NO ₂	CH(CH ₃) ₂	CO	S	0
627	3-N	CH(CH ₃) ₂	CO	S	0
628	4-N	CH(CH ₃) ₂	CO	S	0
629	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
630	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
631	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
632	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
633	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
634	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
635	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
636	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
637	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
638	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
639	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
640	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
641	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
642	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
643	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
644	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
645	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
646	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
647	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
648	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
649	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0


650	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
651	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
652	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
653	H	CH ₃	CO	O	1
654	3-CH ₃	CH ₃	CO	O	1
655	4-CH ₃	CH ₃	CO	O	1
656	2-F	CH ₃	CO	O	1
657	3-F	CH ₃	CO	O	1
658	4-F	CH ₃	CO	O	1
659	3-NH ₂	CH ₃	CO	O	1
660	4-NH ₂	CH ₃	CO	O	1
661	3-NO ₂	CH ₃	CO	O	1
662	4-NO ₂	CH ₃	CO	O	1
663	3-N	CH ₃	CO	O	1
664	4-N	CH ₃	CO	O	1
665	H	CH ₃	CO	S	1
666	3-CH ₃	CH ₃	CO	S	1
667	4-CH ₃	CH ₃	CO	S	1
668	2-F	CH ₃	CO	S	1
669	3-F	CH ₃	CO	S	1
670	4-F	CH ₃	CO	S	1
671	3-NH ₂	CH ₃	CO	S	1
672	4-NH ₂	CH ₃	CO	S	1
673	3-NO ₂	CH ₃	CO	S	1
674	4-NO ₂	CH ₃	CO	S	1
675	3-N	CH ₃	CO	S	1
676	4-N	CH ₃	CO	S	1
677	H	CH ₃	CO	NH	1
678	3-CH ₃	CH ₃	CO	NH	1
679	4-CH ₃	CH ₃	CO	NH	1
680	2-F	CH ₃	CO	NH	1
681	3-F	CH ₃	CO	NH	1
682	4-F	CH ₃	CO	NH	1
683	3-NH ₂	CH ₃	CO	NH	1
684	4-NH ₂	CH ₃	CO	NH	1

685	3-NO ₂	CH ₃	CO	NH	1
686	4-NO ₂	CH ₃	CO	NH	1
687	3-N	CH ₃	CO	NH	1
688	4-N	CH ₃	CO	NH	1
689	H	CH(CH ₃) ₂	CO	O	1
690	3-CH ₃	CH(CH ₃) ₂	CO	O	1
691	4-CH ₃	CH(CH ₃) ₂	CO	O	1
692	2-F	CH(CH ₃) ₂	CO	O	1
693	3-F	CH(CH ₃) ₂	CO	O	1
694	4-F	CH(CH ₃) ₂	CO	O	1
695	3-NH ₂	CH(CH ₃) ₂	CO	O	1
696	4-NH ₂	CH(CH ₃) ₂	CO	O	1
697	3-NO ₂	CH(CH ₃) ₂	CO	O	1
698	4-NO ₂	CH(CH ₃) ₂	CO	O	1
699	3-N	CH(CH ₃) ₂	CO	O	1
700	4-N	CH(CH ₃) ₂	CO	O	1
701	H	CH(CH ₃) ₂	CO	S	1
702	3-CH ₃	CH(CH ₃) ₂	CO	S	1
703	4-CH ₃	CH(CH ₃) ₂	CO	S	1
704	2-F	CH(CH ₃) ₂	CO	S	1
705	3-F	CH(CH ₃) ₂	CO	S	1
706	4-F	CH(CH ₃) ₂	CO	S	1
707	3-NH ₂	CH(CH ₃) ₂	CO	S	1
708	4-NH ₂	CH(CH ₃) ₂	CO	S	1
709	3-NO ₂	CH(CH ₃) ₂	CO	S	1
710	4-NO ₂	CH(CH ₃) ₂	CO	S	1
711	3-N	CH(CH ₃) ₂	CO	S	1
712	4-N	CH(CH ₃) ₂	CO	S	1
713	H	CH(CH ₃) ₂	CO	NH	1
714	3-CH ₃	CH(CH ₃) ₂	CO	NH	1
715	4-CH ₃	CH(CH ₃) ₂	CO	NH	1
716	2-F	CH(CH ₃) ₂	CO	NH	1
717	3-F	CH(CH ₃) ₂	CO	NH	1
718	4-F	CH(CH ₃) ₂	CO	NH	1
719	3-NH ₂	CH(CH ₃) ₂	CO	NH	1

720	4-NH ₂	CH(CH ₃) ₂	CO	NH	1
721	3-NO ₂	CH(CH ₃) ₂	CO	NH	1
722	4-NO ₂	CH(CH ₃) ₂	CO	NH	1
723	3-N	CH(CH ₃) ₂	CO	NH	1
724	4-N	CH(CH ₃) ₂	CO	NH	1
725	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
726	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
727	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
728	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
729	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
730	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
731	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
732	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
733	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
734	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
735	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
736	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
737	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
738	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
739	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
740	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
741	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
742	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
743	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
744	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
745	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
746	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
747	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
748	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
749	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
750	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
751	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
752	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
753	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
754	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1

755	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
756	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
757	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
758	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
759	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
760	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
761	H	CH ₂ NH(CH ₃)	CO	O	1
762	H	CH ₂ N(CH ₃)CO ₂ C(CH ₃) ₃	CO	O	1

Table 8



5

Ex. No.	R ^A	R ¹⁰	Z	V	u	Data
763	H	CH ₃	CO	O	0	
764	3-CH ₃	CH ₃	CO	O	0	
765	4-CH ₃	CH ₃	CO	O	0	
766	2-F	CH ₃	CO	O	0	
767	3-F	CH ₃	CO	O	0	
768	4-F	CH ₃	CO	O	0	
769	3-NH ₂	CH ₃	CO	O	0	
770	4-NH ₂	CH ₃	CO	O	0	
771	3-NO ₂	CH ₃	CO	O	0	
772	4-NO ₂	CH ₃	CO	O	0	

773	3-N	CH ₃	CO	O	0
774	4-N	CH ₃	CO	O	0
775	H	CH ₃	CO	S	0
776	3-CH ₃	CH ₃	CO	S	0
777	4-CH ₃	CH ₃	CO	S	0
778	2-F	CH ₃	CO	S	0
779	3-F	CH ₃	CO	S	0
780	4-F	CH ₃	CO	S	0
781	3-NH ₂	CH ₃	CO	S	0
782	4-NH ₂	CH ₃	CO	S	0
783	3-NO ₂	CH ₃	CO	S	0
784	4-NO ₂	CH ₃	CO	S	0
785	3-N	CH ₃	CO	S	0
786	4-N	CH ₃	CO	S	0
787	H	CH(CH ₃) ₂	CO	O	0
788	3-CH ₃	CH(CH ₃) ₂	CO	O	0
789	4-CH ₃	CH(CH ₃) ₂	CO	O	0
790	2-F	CH(CH ₃) ₂	CO	O	0
791	3-F	CH(CH ₃) ₂	CO	O	0
792	4-F	CH(CH ₃) ₂	CO	O	0
793	3-NH ₂	CH(CH ₃) ₂	CO	O	0
794	4-NH ₂	CH(CH ₃) ₂	CO	O	0
795	3-NO ₂	CH(CH ₃) ₂	CO	O	0
796	4-NO ₂	CH(CH ₃) ₂	CO	O	0
797	3-N	CH(CH ₃) ₂	CO	O	0
798	4-N	CH(CH ₃) ₂	CO	O	0
799	H	CH(CH ₃) ₂	CO	S	0
800	3-CH ₃	CH(CH ₃) ₂	CO	S	0
801	4-CH ₃	CH(CH ₃) ₂	CO	S	0
802	2-F	CH(CH ₃) ₂	CO	S	0
803	3-F	CH(CH ₃) ₂	CO	S	0
804	4-F	CH(CH ₃) ₂	CO	S	0
805	3-NH ₂	CH(CH ₃) ₂	CO	S	0
806	4-NH ₂	CH(CH ₃) ₂	CO	S	0
807	3-NO ₂	CH(CH ₃) ₂	CO	S	0


808	4-NO ₂	CH(CH ₃) ₂	CO	S	0	
809	3-N	CH(CH ₃) ₂	CO	S	0	
810	4-N	CH(CH ₃) ₂	CO	S	0	
811	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
812	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
813	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
814	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
815	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
816	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
817	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
818	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
819	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
820	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
821	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
822	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0	
823	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
824	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
825	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
826	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
827	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
828	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
829	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
830	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
831	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
832	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
833	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
834	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0	
835	H	CH ₃	CO	O	1	Z
836	3-CH ₃	CH ₃	CO	O	1	AA
837	4-CH ₃	CH ₃	CO	O	1	BB
838	2-F	CH ₃	CO	O	1	
839	3-F	CH ₃	CO	O	1	
840	4-F	CH ₃	CO	O	1	
841	3-NH ₂	CH ₃	CO	O	1	
842	4-NH ₂	CH ₃	CO	O	1	

843	3-NO ₂	CH ₃	CO	O	1	
844	4-NO ₂	CH ₃	CO	O	1	
845	3-N	CH ₃	CO	O	1	
846	4-N	CH ₃	CO	O	1	
847	H	CH ₃	CO	S	1	
848	3-CH ₃	CH ₃	CO	S	1	
849	4-CH ₃	CH ₃	CO	S	1	
850	2-F	CH ₃	CO	S	1	
851	3-F	CH ₃	CO	S	1	
852	4-F	CH ₃	CO	S	1	
853	3-NH ₂	CH ₃	CO	S	1	
854	4-NH ₂	CH ₃	CO	S	1	
855	3-NO ₂	CH ₃	CO	S	1	
856	4-NO ₂	CH ₃	CO	S	1	
857	3-N	CH ₃	CO	S	1	
858	4-N	CH ₃	CO	S	1	
859	H	CH ₃	CO	NH	1	
860	3-CH ₃	CH ₃	CO	NH	1	
861	4-CH ₃	CH ₃	CO	NH	1	
862	2-F	CH ₃	CO	NH	1	
863	3-F	CH ₃	CO	NH	1	
864	4-F	CH ₃	CO	NH	1	
865	3-NH ₂	CH ₃	CO	NH	1	
866	4-NH ₂	CH ₃	CO	NH	1	
867	3-NO ₂	CH ₃	CO	NH	1	
868	4-NO ₂	CH ₃	CO	NH	1	
869	3-N	CH ₃	CO	NH	1	
870	4-N	CH ₃	CO	NH	1	
871	H	CH(CH ₃) ₂	CO	O	1	CC
872	3-CH ₃	CH(CH ₃) ₂	CO	O	1	
873	4-CH ₃	CH(CH ₃) ₂	CO	O	1	
874	2-F	CH(CH ₃) ₂	CO	O	1	
875	3-F	CH(CH ₃) ₂	CO	O	1	
876	4-F	CH(CH ₃) ₂	CO	O	1	
877	3-NH ₂	CH(CH ₃) ₂	CO	O	1	

878	4-NH ₂	CH(CH ₃) ₂	CO	O	1	
879	3-NO ₂	CH(CH ₃) ₂	CO	O	1	
880	4-NO ₂	CH(CH ₃) ₂	CO	O	1	
881	3-N	CH(CH ₃) ₂	CO	O	1	
882	4-N	CH(CH ₃) ₂	CO	O	1	
883	H	CH(CH ₃) ₂	CO	S	1	
884	3-CH ₃	CH(CH ₃) ₂	CO	S	1	
885	4-CH ₃	CH(CH ₃) ₂	CO	S	1	
886	2-F	CH(CH ₃) ₂	CO	S	1	
887	3-F	CH(CH ₃) ₂	CO	S	1	
888	4-F	CH(CH ₃) ₂	CO	S	1	
889	3-NH ₂	CH(CH ₃) ₂	CO	S	1	
890	4-NH ₂	CH(CH ₃) ₂	CO	S	1	
891	3-NO ₂	CH(CH ₃) ₂	CO	S	1	
892	4-NO ₂	CH(CH ₃) ₂	CO	S	1	
893	3-N	CH(CH ₃) ₂	CO	S	1	
894	4-N	CH(CH ₃) ₂	CO	S	1	
895	H	CH(CH ₃) ₂	CO	NH	1	
896	3-CH ₃	CH(CH ₃) ₂	CO	NH	1	
897	4-CH ₃	CH(CH ₃) ₂	CO	NH	1	
898	2-F	CH(CH ₃) ₂	CO	NH	1	
899	3-F	CH(CH ₃) ₂	CO	NH	1	
900	4-F	CH(CH ₃) ₂	CO	NH	1	
901	3-NH ₂	CH(CH ₃) ₂	CO	NH	1	
902	4-NH ₂	CH(CH ₃) ₂	CO	NH	1	
903	3-NO ₂	CH(CH ₃) ₂	CO	NH	1	
904	4-NO ₂	CH(CH ₃) ₂	CO	NH	1	
905	3-N	CH(CH ₃) ₂	CO	NH	1	
906	4-N	CH(CH ₃) ₂	CO	NH	1	
907	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	DD
908	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
909	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
910	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
911	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
912	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	

913	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
914	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
915	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
916	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
917	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
918	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1	
919	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
920	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
921	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
922	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
923	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
924	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
925	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
926	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
927	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
928	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
929	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
930	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1	
931	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
932	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
933	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
934	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
935	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
936	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
937	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
938	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
939	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
940	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
941	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
942	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1	
943	H	CH ₂ NH(CH ₃)	CO	O	1	EE
944	H	CH ₂ N(CH ₃)CO ₂ C(CH ₃) ₃	CO	O	1	FF

Table 9








Ex No.	R ³	R ¹⁰	Data
945	CH ₃	CH ₃	
946	(H ₃ C) ₃ C	CH ₃	
947		CH ₃	
948		CH ₃	
949	CH ₃	CH ₂ CH ₂ Ph	
950	(H ₃ C) ₃ C	CH ₂ CH ₂ Ph	
951		CH ₂ CH ₂ Ph	
952		CH ₂ CH ₂ Ph	

Table 10



5






Ex No.	R^3	R^{10}	Data
953	CH_3	CH_3	
954	$(\text{H}_3\text{C})_3\text{C}$	CH_3	GG
955		CH_3	HH
956		CH_3	
957	CH_3	$\text{CH}_2\text{CH}_2\text{Ph}$	
958	$(\text{H}_3\text{C})_3\text{C}$	$\text{CH}_2\text{CH}_2\text{Ph}$	II
959		$\text{CH}_2\text{CH}_2\text{Ph}$	JJ
960		$\text{CH}_2\text{CH}_2\text{Ph}$	

Table 11

 $R^x = H_2N$

ExNo.	R^A	R^B	R^6	R^7	Z	V	W	u	Data
961	H	H	H	H	C(O)O	O	-	1	
962	H	H	H	H	CO	O	CH ₂	0	
963	H	H	H	H	CO	S	CH ₂	0	
964	H	H	H	H	CO	O	CH ₂	1	
965	H	2'-CH ₃	H	H	CO	O	CH ₂	1	
966	H	3'-CH ₃	H	H	CO	O	CH ₂	1	
967	H	2',3'-diCH ₃	H	H	CO	O	CH ₂	1	
968	H	2'-F	H	H	CO	O	CH ₂	1	
969	H	3'-F	H	H	CO	O	CH ₂	1	
970	H	2'-N	H	H	CO	O	CH ₂	1	
971	H	3'-N	H	H	CO	O	CH ₂	1	
972	3-CH ₃	H	H	H	CO	O	CH ₂	1	
973	3-CH ₃	2'-CH ₃	H	H	CO	O	CH ₂	1	
974	3-CH ₃	3'-CH ₃	H	H	CO	O	CH ₂	1	
975	3-CH ₃	2',3'-diCH ₃	H	H	CO	O	CH ₂	1	
976	3-CH ₃	2'-F	H	H	CO	O	CH ₂	1	
977	3-CH ₃	3'-F	H	H	CO	O	CH ₂	1	
978	3-CH ₃	2'-N	H	H	CO	O	CH ₂	1	
979	3-CH ₃	3'-N	H	H	CO	O	CH ₂	1	
980	2-F	H	H	H	CO	O	CH ₂	1	


981	2-F	2'-CH ₃	H	H	CO	O	CH ₂	1	
982	2-F	3'-CH ₃	H	H	CO	O	CH ₂	1	
983	2-F	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
984	2-F	2'-F	H	H	CO	O	CH ₂	1	
985	2-F	3'-F	H	H	CO	O	CH ₂	1	
986	2-F	2'-N	H	H	CO	O	CH ₂	1	
987	2-F	3'-N	H	H	CO	O	CH ₂	1	
988	3-F	H	H	H	CO	O	CH ₂	1	KK
989	3-F	2'-CH ₃	H	H	CO	O	CH ₂	1	
990	3-F	3'-CH ₃	H	H	CO	O	CH ₂	1	
991	3-F	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
992	3-F	2'-F	H	H	CO	O	CH ₂	1	
993	3-F	3'-F	H	H	CO	O	CH ₂	1	
994	3-F	2'-N	H	H	CO	O	CH ₂	1	
995	3-F	3'-N	H	H	CO	O	CH ₂	1	
996	3-NH ₂	H	H	H	CO	O	CH ₂	1	
997	3-NH ₂	2'-CH ₃	H	H	CO	O	CH ₂	1	
998	3-NH ₂	3'-CH ₃	H	H	CO	O	CH ₂	1	
999	3-NH ₂	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1000	3-NH ₂	2'-F	H	H	CO	O	CH ₂	1	
1001	3-NH ₂	3'-F	H	H	CO	O	CH ₂	1	
1002	3-NH ₂	2'-N	H	H	CO	O	CH ₂	1	
1003	3-NH ₂	3'-N	H	H	CO	O	CH ₂	1	
1004	3-NO ₂	H	H	H	CO	O	CH ₂	1	
1005	3-NO ₂	2'-CH ₃	H	H	CO	O	CH ₂	1	
1006	3-NO ₂	3'-CH ₃	H	H	CO	O	CH ₂	1	
1007	3-NO ₂	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1008	3-NO ₂	2'-F	H	H	CO	O	CH ₂	1	
1009	3-NO ₂	3'-F	H	H	CO	O	CH ₂	1	
1010	3-NO ₂	2'-N	H	H	CO	O	CH ₂	1	
1011	3-NO ₂	3'-N	H	H	CO	O	CH ₂	1	
1012	2-N	H	H	H	CO	O	CH ₂	1	
1013	2-N	2'-CH ₃	H	H	CO	O	CH ₂	1	
1014	2-N	3'-CH ₃	H	H	CO	O	CH ₂	1	
1015	2-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	

1016	2-N	2'-F	H	H	CO	O	CH ₂	1
1017	2-N	3'-F	H	H	CO	O	CH ₂	1
1018	2-N	2'-N	H	H	CO	O	CH ₂	1
1019	2-N	3'-N	H	H	CO	O	CH ₂	1
1020	3-N	H	H	H	CO	O	CH ₂	1
1021	3-N	2'-CH ₃	H	H	CO	O	CH ₂	1
1022	3-N	3'-CH ₃	H	H	CO	O	CH ₂	1
1023	3-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1
1024	3-N	2'-F	H	H	CO	O	CH ₂	1
1025	3-N	3'-F	H	H	CO	O	CH ₂	1
1026	3-N	2'-N	H	H	CO	O	CH ₂	1
1027	3-N	3'-N	H	H	CO	O	CH ₂	1
1028	4-N	H	H	H	CO	O	CH ₂	1
1029	4-N	2'-CH ₃	H	H	CO	O	CH ₂	1
1030	4-N	3'-CH ₃	H	H	CO	O	CH ₂	1
1031	4-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1
1032	4-N	2'-F	H	H	CO	O	CH ₂	1
1033	4-N	3'-F	H	H	CO	O	CH ₂	1
1034	4-N	2'-N	H	H	CO	O	CH ₂	1
1035	4-N	3'-N	H	H	CO	O	CH ₂	1
1036	H	H	H	H	CO	O	O	0
1037	H	H	CH ₃	CH ₃	CO	S	O	0
1038	H	H	H	H	CO	O	O	1
1039	H	2'-CH ₃	H	H	CO	O	O	1
1040	H	3'-CH ₃	H	H	CO	O	O	1
1041	H	2', 3'-diCH ₃	H	H	CO	O	O	1
1042	H	2'-F	H	H	CO	O	O	1
1043	H	3'-F	H	H	CO	O	O	1
1044	H	2'-N	H	H	CO	O	O	1
1045	H	3'-N	H	H	CO	O	O	1
1046	3-CH ₃	H	H	H	CO	O	O	1
1047	3-CH ₃	2'-CH ₃	H	H	CO	O	O	1
1048	3-CH ₃	3'-CH ₃	H	H	CO	O	O	1
1049	3-CH ₃	2', 3'-diCH ₃	H	H	CO	O	O	1
1050	3-CH ₃	2'-F	H	H	CO	O	O	1

1051	3-CH ₃	3'-F	H	H	CO	O	O	1
1052	3-CH ₃	2'-N	H	H	CO	O	O	1
1053	3-CH ₃	3'-N	H	H	CO	O	O	1
1054	2-F	H	H	H	CO	O	O	1
1055	2-F	2'-CH ₃	H	H	CO	O	O	1
1056	2-F	3'-CH ₃	H	H	CO	O	O	1
1057	2-F	2', 3'-diCH ₃	H	H	CO	O	O	1
1058	2-F	2'-F	H	H	CO	O	O	1
1059	2-F	3'-F	H	H	CO	O	O	1
1060	2-F	2'-N	H	H	CO	O	O	1
1061	2-F	3'-N	H	H	CO	O	O	1
1062	3-F	H	H	H	CO	O	O	1
1063	3-F	2'-CH ₃	H	H	CO	O	O	1
1064	3-F	3'-CH ₃	H	H	CO	O	O	1
1065	3-F	2', 3'-diCH ₃	H	H	CO	O	O	1
1066	3-F	2'-F	H	H	CO	O	O	1
1067	3-F	3'-F	H	H	CO	O	O	1
1068	3-F	2'-N	H	H	CO	O	O	1
1069	3-F	3'-N	H	H	CO	O	O	1
1070	3-NH ₂	H	H	H	CO	O	O	1
1071	3-NH ₂	2'-CH ₃	H	H	CO	O	O	1
1072	3-NH ₂	3'-CH ₃	H	H	CO	O	O	1
1073	3-NH ₂	2', 3'-diCH ₃	H	H	CO	O	O	1
1074	3-NH ₂	2'-F	H	H	CO	O	O	1
1075	3-NH ₂	3'-F	H	H	CO	O	O	1
1076	3-NH ₂	2'-N	H	H	CO	O	O	1
1077	3-NH ₂	3'-N	H	H	CO	O	O	1
1078	3-NO ₂	H	H	H	CO	O	O	1
1079	3-NO ₂	2'-CH ₃	H	H	CO	O	O	1
1080	3-NO ₂	3'-CH ₃	H	H	CO	O	O	1
1081	3-NO ₂	2', 3'-diCH ₃	H	H	CO	O	O	1
1082	3-NO ₂	2'-F	H	H	CO	O	O	1
1083	3-NO ₂	3'-F	H	H	CO	O	O	1
1084	3-NO ₂	2'-N	H	H	CO	O	O	1
1085	3-NO ₂	3'-N	H	H	CO	O	O	1

1086	2-N	H	H	H	CO	O	O	1
1087	2-N	2'-CH ₃	H	H	CO	O	O	1
1088	2-N	3'-CH ₃	H	H	CO	O	O	1
1089	2-N	2', 3'-diCH ₃	H	H	CO	O	O	1
1090	2-N	2'-F	H	H	CO	O	O	1
1091	2-N	3'-F	H	H	CO	O	O	1
1092	2-N	2'-N	H	H	CO	O	O	1
1093	2-N	3'-N	H	H	CO	O	O	1
1094	3-N	H	H	H	CO	O	O	1
1095	3-N	2'-CH ₃	H	H	CO	O	O	1
1096	3-N	3'-CH ₃	H	H	CO	O	O	1
1097	3-N	2', 3'-diCH ₃	H	H	CO	O	O	1
1098	3-N	2'-F	H	H	CO	O	O	1
1099	3-N	3'-F	H	H	CO	O	O	1
1100	3-N	2'-N	H	H	CO	O	O	1
1101	3-N	3'-N	H	H	CO	O	O	1
1102	4-N	H	H	H	CO	O	O	1
1103	4-N	2'-CH ₃	H	H	CO	O	O	1
1104	4-N	3'-CH ₃	H	H	CO	O	O	1
1105	4-N	2', 3'-diCH ₃	H	H	CO	O	O	1
1106	4-N	2'-F	H	H	CO	O	O	1
1107	4-N	3'-F	H	H	CO	O	O	1
1108	4-N	2'-N	H	H	CO	O	O	1
1109	4-N	3'-N	H	H	CO	O	O	1

Table 12



ExNo.	R ^A	R ^B	R ⁶	R ⁷	Z	V	W	u	Data
1110	H	H	H	H	C(O)O	O	-	1	
1111	H	H	H	H	CO	O	CH ₂	0	
1112	H	H	H	H	CO	S	CH ₂	0	
1113	H	H	H	H	CO	O	CH ₂	1	LL
1114	H	2'-CH ₃	H	H	CO	O	CH ₂	1	
1115	H	3'-CH ₃	H	H	CO	O	CH ₂	1	
1116	H	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1117	H	2'-F	H	H	CO	O	CH ₂	1	
1118	H	3'-F	H	H	CO	O	CH ₂	1	
1119	H	2'-N	H	H	CO	O	CH ₂	1	
1120	H	3'-N	H	H	CO	O	CH ₂	1	
1121	3-CH ₃	H	H	H	CO	O	CH ₂	1	
1122	3-CH ₃	2'-CH ₃	H	H	CO	O	CH ₂	1	
1123	3-CH ₃	3'-CH ₃	H	H	CO	O	CH ₂	1	
1124	3-CH ₃	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1125	3-CH ₃	2'-F	H	H	CO	O	CH ₂	1	
1126	3-CH ₃	3'-F	H	H	CO	O	CH ₂	1	
1127	3-CH ₃	2'-N	H	H	CO	O	CH ₂	1	
1128	3-CH ₃	3'-N	H	H	CO	O	CH ₂	1	
1129	2-F	H	H	H	CO	O	CH ₂	1	
1130	2-F	2'-CH ₃	H	H	CO	O	CH ₂	1	
1131	2-F	3'-CH ₃	H	H	CO	O	CH ₂	1	



1132	2-F	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1133	2-F	2'-F	H	H	CO	O	CH ₂	1	
1134	2-F	3'-F	H	H	CO	O	CH ₂	1	
1135	2-F	2'-N	H	H	CO	O	CH ₂	1	
1136	2-F	3'-N	H	H	CO	O	CH ₂	1	
1137	3-F	H	H	H	CO	O	CH ₂	1	MM
1138	3-F	2'-CH ₃	H	H	CO	O	CH ₂	1	
1139	3-F	3'-CH ₃	H	H	CO	O	CH ₂	1	
1140	3-F	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1141	3-F	2'-F	H	H	CO	O	CH ₂	1	
1142	3-F	3'-F	H	H	CO	O	CH ₂	1	
1143	3-F	2'-N	H	H	CO	O	CH ₂	1	
1144	3-F	3'-N	H	H	CO	O	CH ₂	1	
1145	3-NH ₂	H	H	H	CO	O	CH ₂	1	
1146	3-NH ₂	2'-CH ₃	H	H	CO	O	CH ₂	1	
1147	3-NH ₂	3'-CH ₃	H	H	CO	O	CH ₂	1	
1148	3-NH ₂	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1149	3-NH ₂	2'-F	H	H	CO	O	CH ₂	1	
1150	3-NH ₂	3'-F	H	H	CO	O	CH ₂	1	
1151	3-NH ₂	2'-N	H	H	CO	O	CH ₂	1	
1152	3-NH ₂	3'-N	H	H	CO	O	CH ₂	1	
1153	3-NO ₂	H	H	H	CO	O	CH ₂	1	
1154	3-NO ₂	2'-CH ₃	H	H	CO	O	CH ₂	1	
1155	3-NO ₂	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1156	3-NO ₂	2'-F	H	H	CO	O	CH ₂	1	
1157	3-NO ₂	3'-F	H	H	CO	O	CH ₂	1	
1158	3-NO ₂	2'-N	H	H	CO	O	CH ₂	1	
1159	3-NO ₂	3'-N	H	H	CO	O	CH ₂	1	
1160	2-N	H	H	H	CO	O	CH ₂	1	
1161	2-N	2'-CH ₃	H	H	CO	O	CH ₂	1	
1162	2-N	3'-CH ₃	H	H	CO	O	CH ₂	1	
1163	2-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1	
1164	2-N	2'-F	H	H	CO	O	CH ₂	1	
1165	2-N	3'-F	H	H	CO	O	CH ₂	1	

1166	2-N	2'-N	H	H	CO	O	CH ₂	1
1167	2-N	3'-N	H	H	CO	O	CH ₂	1
1168	3-N	H	H	H	CO	O	CH ₂	1
1169	3-N	2'-CH ₃	H	H	CO	O	CH ₂	1
1170	3-N	3'-CH ₃	H	H	CO	O	CH ₂	1
1171	3-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1
1172	3-N	2'-F	H	H	CO	O	CH ₂	1
1173	3-N	3'-F	H	H	CO	O	CH ₂	1
1174	3-N	2'-N	H	H	CO	O	CH ₂	1
1175	3-N	3'-N	H	H	CO	O	CH ₂	1
1176	4-N	H	H	H	CO	O	CH ₂	1
1177	4-N	2'-CH ₃	H	H	CO	O	CH ₂	1
1178	4-N	3'-CH ₃	H	H	CO	O	CH ₂	1
1179	4-N	2', 3'-diCH ₃	H	H	CO	O	CH ₂	1
1180	4-N	2'-F	H	H	CO	O	CH ₂	1
1181	4-N	3'-F	H	H	CO	O	CH ₂	1
1182	4-N	2'-N	H	H	CO	O	CH ₂	1
1183	4-N	3'-N	H	H	CO	O	CH ₂	1
1184	H	H	H	H	CO	O	O	0
1185	H	H	CH ₃	CH ₃	CO	S	O	0
1186	H	H	H	H	CO	O	O	1
1187	H	2'-CH ₃	H	H	CO	O	O	1
1188	H	3'-CH ₃	H	H	CO	O	O	1
1189	H	2', 3'-diCH ₃	H	H	CO	O	O	1
1190	H	2'-F	H	H	CO	O	O	1
1191	H	3'-F	H	H	CO	O	O	1
1192	H	2'-N	H	H	CO	O	O	1
1193	H	3'-N	H	H	CO	O	O	1
1194	3-CH ₃	H	H	H	CO	O	O	1
1195	3-CH ₃	2'-CH ₃	H	H	CO	O	O	1
1196	3-CH ₃	3'-CH ₃	H	H	CO	O	O	1
1197	3-CH ₃	2', 3'-diCH ₃	H	H	CO	O	O	1
1198	3-CH ₃	2'-F	H	H	CO	O	O	1

1199	3-CH ₃	3'-F	H	H	CO	O	O	1
1200	3-CH ₃	2'-N	H	H	CO	O	O	1
1201	3-CH ₃	3'-N	H	H	CO	O	O	1
1202	2-F	H	H	H	CO	O	O	1
1203	2-F	2'-CH ₃	H	H	CO	O	O	1
1204	2-F	3'-CH ₃	H	H	CO	O	O	1
1205	2-F	2', 3'-diCH ₃	H	H	CO	O	O	1
1206	2-F	2'-F	H	H	CO	O	O	1
1207	2-F	3'-F	H	H	CO	O	O	1
1208	2-F	2'-N	H	H	CO	O	O	1
1209	2-F	3'-N	H	H	CO	O	O	1
1210	3-F	H	H	H	CO	O	O	1
1211	3-F	2'-CH ₃	H	H	CO	O	O	1
1212	3-F	3'-CH ₃	H	H	CO	O	O	1
1213	3-F	2', 3'-diCH ₃	H	H	CO	O	O	1
1214	3-F	2'-F	H	H	CO	O	O	1
1215	3-F	3'-F	H	H	CO	O	O	1
1216	3-F	2'-N	H	H	CO	O	O	1
1217	3-F	3'-N	H	H	CO	O	O	1
1218	3-NH ₂	H	H	H	CO	O	O	1
1219	3-NH ₂	2'-CH ₃	H	H	CO	O	O	1
1220	3-NH ₂	3'-CH ₃	H	H	CO	O	O	1
1221	3-NH ₂	2', 3'-diCH ₃	H	H	CO	O	O	1
1222	3-NH ₂	2'-F	H	H	CO	O	O	1
1223	3-NH ₂	3'-F	H	H	CO	O	O	1
1224	3-NH ₂	2'-N	H	H	CO	O	O	1
1225	3-NH ₂	3'-N	H	H	CO	O	O	1
1226	3-NO ₂	H	H	H	CO	O	O	1
1227	3-NO ₂	2'-CH ₃	H	H	CO	O	O	1
1228	3-NO ₂	3'-CH ₃	H	H	CO	O	O	1
1229	3-NO ₂	2', 3'-diCH ₃	H	H	CO	O	O	1
1230	3-NO ₂	2'-F	H	H	CO	O	O	1
1231	3-NO ₂	3'-F	H	H	CO	O	O	1
1232	3-NO ₂	2'-N	H	H	CO	O	O	1
1233	3-NO ₂	3'-N	H	H	CO	O	O	1

1234	2-N	H	H	H	CO	O	O	1
1235	2-N	2'-CH ₃	H	H	CO	O	O	1
1236	2-N	3'-CH ₃	H	H	CO	O	O	1
1237	2-N	2', 3'-diCH ₃	H	H	CO	O	O	1
1238	2-N	2'-F	H	H	CO	O	O	1
1239	2-N	3'-F	H	H	CO	O	O	1
1240	2-N	2'-N	H	H	CO	O	O	1
1241	2-N	3'-N	H	H	CO	O	O	1
1242	3-N	H	H	H	CO	O	O	1
1243	3-N	2'-CH ₃	H	H	CO	O	O	1
1244	3-N	3'-CH ₃	H	H	CO	O	O	1
1245	3-N	2', 3'-diCH ₃	H	H	CO	O	O	1
1246	3-N	2'-F	H	H	CO	O	O	1
1247	3-N	3'-F	H	H	CO	O	O	1
1248	3-N	2'-N	H	H	CO	O	O	1
1249	3-N	3'-N	H	H	CO	O	O	1
1250	4-N	H	H	H	CO	O	O	1
1251	4-N	2'-CH ₃	H	H	CO	O	O	1
1252	4-N	3'-CH ₃	H	H	CO	O	O	1
1253	4-N	2', 3'-diCH ₃	H	H	CO	O	O	1
1254	4-N	2'-F	H	H	CO	O	O	1
1255	4-N	3'-F	H	H	CO	O	O	1
1256	4-N	2'-N	H	H	CO	O	O	1
1257	4-N	3'-N	H	H	CO	O	O	1

Table 13



Ex No.	RA	R ¹⁰	Z	V	u	Data
1258	H	CH ₃	CO	O	0	
1259	3-CH ₃	CH ₃	CO	O	0	
1260	4-CH ₃	CH ₃	CO	O	0	
1261	2-F	CH ₃	CO	O	0	
1262	3-F	CH ₃	CO	O	0	
1263	4-F	CH ₃	CO	O	0	
1264	3-NH ₂	CH ₃	CO	O	0	
1265	4-NH ₂	CH ₃	CO	O	0	
1266	3-NO ₂	CH ₃	CO	O	0	
1267	4-NO ₂	CH ₃	CO	O	0	
1268	3-N	CH ₃	CO	O	0	
1269	4-N	CH ₃	CO	O	0	
1270	H	CH ₃	CO	S	0	
1271	3-CH ₃	CH ₃	CO	S	0	
1272	4-CH ₃	CH ₃	CO	S	0	
1273	2-F	CH ₃	CO	S	0	
1274	3-F	CH ₃	CO	S	0	
1275	4-F	CH ₃	CO	S	0	
1276	3-NH ₂	CH ₃	CO	S	0	
1277	4-NH ₂	CH ₃	CO	S	0	
1278	3-NO ₂	CH ₃	CO	S	0	

1279	4-NO ₂	CH ₃	CO	S	0
1280	3-N	CH ₃	CO	S	0
1281	4-N	CH ₃	CO	S	0
1282	H	CH(CH ₃) ₂	CO	O	0
1283	3-CH ₃	CH(CH ₃) ₂	CO	O	0
1284	4-CH ₃	CH(CH ₃) ₂	CO	O	0
1285	2-F	CH(CH ₃) ₂	CO	O	0
1286	3-F	CH(CH ₃) ₂	CO	O	0
1287	4-F	CH(CH ₃) ₂	CO	O	0
1288	3-NH ₂	CH(CH ₃) ₂	CO	O	0
1289	4-NH ₂	CH(CH ₃) ₂	CO	O	0
1290	3-NO ₂	CH(CH ₃) ₂	CO	O	0
1291	4-NO ₂	CH(CH ₃) ₂	CO	O	0
1292	3-N	CH(CH ₃) ₂	CO	O	0
1293	4-N	CH(CH ₃) ₂	CO	O	0
1294	H	CH(CH ₃) ₂	CO	S	0
1295	3-CH ₃	CH(CH ₃) ₂	CO	S	0
1296	4-CH ₃	CH(CH ₃) ₂	CO	S	0
1297	2-F	CH(CH ₃) ₂	CO	S	0
1298	3-F	CH(CH ₃) ₂	CO	S	0
1299	4-F	CH(CH ₃) ₂	CO	S	0
1300	3-NH ₂	CH(CH ₃) ₂	CO	S	0
1301	4-NH ₂	CH(CH ₃) ₂	CO	S	0
1302	3-NO ₂	CH(CH ₃) ₂	CO	S	0
1303	4-NO ₂	CH(CH ₃) ₂	CO	S	0
1304	3-N	CH(CH ₃) ₂	CO	S	0
1305	4-N	CH(CH ₃) ₂	CO	S	0
1306	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1307	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1308	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1309	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1310	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1311	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1312	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1313	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0


1314	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1315	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1316	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1317	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1318	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1319	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1320	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1321	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1322	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1323	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1324	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1325	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1326	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1327	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1328	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1329	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1330	H	CH ₃	CO	O	1
1331	3-CH ₃	CH ₃	CO	O	1
1332	4-CH ₃	CH ₃	CO	O	1
1333	2-F	CH ₃	CO	O	1
1334	3-F	CH ₃	CO	O	1
1335	4-F	CH ₃	CO	O	1
1336	3-NH ₂	CH ₃	CO	O	1
1337	4-NH ₂	CH ₃	CO	O	1
1338	3-NO ₂	CH ₃	CO	O	1
1339	4-NO ₂	CH ₃	CO	O	1
1340	3-N	CH ₃	CO	O	1
1341	4-N	CH ₃	CO	O	1
1342	H	CH ₃	CO	S	1
1343	3-CH ₃	CH ₃	CO	S	1
1344	4-CH ₃	CH ₃	CO	S	1
1345	2-F	CH ₃	CO	S	1
1346	3-F	CH ₃	CO	S	1
1347	4-F	CH ₃	CO	S	1
1348	3-NH ₂	CH ₃	CO	S	1


1349	4-NH ₂	CH ₃	CO	S	1
1350	3-NO ₂	CH ₃	CO	S	1
1351	4-NO ₂	CH ₃	CO	S	1
1352	3-N	CH ₃	CO	S	1
1353	4-N	CH ₃	CO	S	1
1354	H	CH ₃	CO	NH	1
1355	3-CH ₃	CH ₃	CO	NH	1
1356	4-CH ₃	CH ₃	CO	NH	1
1357	2-F	CH ₃	CO	NH	1
1358	3-F	CH ₃	CO	NH	1
1359	4-F	CH ₃	CO	NH	1
1360	3-NH ₂	CH ₃	CO	NH	1
1361	4-NH ₂	CH ₃	CO	NH	1
1362	3-NO ₂	CH ₃	CO	NH	1
1363	4-NO ₂	CH ₃	CO	NH	1
1364	3-N	CH ₃	CO	NH	1
1365	4-N	CH ₃	CO	NH	1
1366	H	CH(CH ₃) ₂	CO	O	1
1367	3-CH ₃	CH(CH ₃) ₂	CO	O	1
1368	4-CH ₃	CH(CH ₃) ₂	CO	O	1
1369	2-F	CH(CH ₃) ₂	CO	O	1
1370	3-F	CH(CH ₃) ₂	CO	O	1
1371	4-F	CH(CH ₃) ₂	CO	O	1
1372	3-NH ₂	CH(CH ₃) ₂	CO	O	1
1373	4-NH ₂	CH(CH ₃) ₂	CO	O	1
1374	3-NO ₂	CH(CH ₃) ₂	CO	O	1
1375	4-NO ₂	CH(CH ₃) ₂	CO	O	1
1376	3-N	CH(CH ₃) ₂	CO	O	1
1377	4-N	CH(CH ₃) ₂	CO	O	1
1378	H	CH(CH ₃) ₂	CO	S	1
1379	3-CH ₃	CH(CH ₃) ₂	CO	S	1
1380	4-CH ₃	CH(CH ₃) ₂	CO	S	1
1381	2-F	CH(CH ₃) ₂	CO	S	1
1382	3-F	CH(CH ₃) ₂	CO	S	1
1383	4-F	CH(CH ₃) ₂	CO	S	1

1384	3-NH ₂	CH(CH ₃) ₂	CO	S	1
1385	4-NH ₂	CH(CH ₃) ₂	CO	S	1
1386	3-NO ₂	CH(CH ₃) ₂	CO	S	1
1387	4-NO ₂	CH(CH ₃) ₂	CO	S	1
1388	3-N	CH(CH ₃) ₂	CO	S	1
1389	4-N	CH(CH ₃) ₂	CO	S	1
1390	H	CH(CH ₃) ₂	CO	NH	1
1391	3-CH ₃	CH(CH ₃) ₂	CO	NH	1
1392	4-CH ₃	CH(CH ₃) ₂	CO	NH	1
1393	2-F	CH(CH ₃) ₂	CO	NH	1
1394	3-F	CH(CH ₃) ₂	CO	NH	1
1395	4-F	CH(CH ₃) ₂	CO	NH	1
1396	3-NH ₂	CH(CH ₃) ₂	CO	NH	1
1397	4-NH ₂	CH(CH ₃) ₂	CO	NH	1
1398	3-NO ₂	CH(CH ₃) ₂	CO	NH	1
1399	4-NO ₂	CH(CH ₃) ₂	CO	NH	1
1400	3-N	CH(CH ₃) ₂	CO	NH	1
1401	4-N	CH(CH ₃) ₂	CO	NH	1
1402	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1403	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1404	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1405	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1406	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1407	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1408	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1409	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1410	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1411	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1412	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1413	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1414	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1415	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1416	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1417	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1418	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1

1419	4-F	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	S	1
1420	3-NH ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	S	1
1421	4-NH ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	S	1
1422	3-NO ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	S	1
1423	4-NO ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	S	1
1424	3-N	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	S	1
1425	4-N	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	S	1
1426	H	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1427	3-CH ₃	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1428	4-CH ₃	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1429	2-F	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1430	3-F	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1431	4-F	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1432	3-NH ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1433	4-NH ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1434	3-NO ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1435	4-NO ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1436	3-N	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1437	4-N	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1438	H	$\text{CH}_2\text{NH}(\text{CH}_3)$	CO	O	1
1439	H	$\text{CH}_2\text{N}(\text{CH}_3)\text{CO}_2\text{C}(\text{CH}_3)_3$	CO	O	1

TABLE 14





Ex No.	R ^A	R ¹⁰	Z	V	u	Data
1440	H	CH ₃	CO	O	0	
1441	3-CH ₃	CH ₃	CO	O	0	
1442	4-CH ₃	CH ₃	CO	O	0	
1443	2-F	CH ₃	CO	O	0	
1444	3-F	CH ₃	CO	O	0	
1445	4-F	CH ₃	CO	O	0	
1446	3-NH ₂	CH ₃	CO	O	0	
1447	4-NH ₂	CH ₃	CO	O	0	
1448	3-NO ₂	CH ₃	CO	O	0	
1449	4-NO ₂	CH ₃	CO	O	0	
1450	3-N	CH ₃	CO	O	0	
1451	4-N	CH ₃	CO	O	0	
1452	H	CH ₃	CO	S	0	
1453	3-CH ₃	CH ₃	CO	S	0	
1454	4-CH ₃	CH ₃	CO	S	0	
1455	2-F	CH ₃	CO	S	0	
1456	3-F	CH ₃	CO	S	0	
1457	4-F	CH ₃	CO	S	0	
1458	3-NH ₂	CH ₃	CO	S	0	
1459	4-NH ₂	CH ₃	CO	S	0	
1460	3-NO ₂	CH ₃	CO	S	0	
1461	4-NO ₂	CH ₃	CO	S	0	
1462	3-N	CH ₃	CO	S	0	
1463	4-N	CH ₃	CO	S	0	
1464	H	CH(CH ₃) ₂	CO	O	0	
1465	3-CH ₃	CH(CH ₃) ₂	CO	O	0	
1466	4-CH ₃	CH(CH ₃) ₂	CO	O	0	
1467	2-F	CH(CH ₃) ₂	CO	O	0	
1468	3-F	CH(CH ₃) ₂	CO	O	0	
1469	4-F	CH(CH ₃) ₂	CO	O	0	
1470	3-NH ₂	CH(CH ₃) ₂	CO	O	0	
1471	4-NH ₂	CH(CH ₃) ₂	CO	O	0	

1472	3-NO ₂	CH(CH ₃) ₂	CO	O	0
1473	4-NO ₂	CH(CH ₃) ₂	CO	O	0
1474	3-N	CH(CH ₃) ₂	CO	O	0
1475	4-N	CH(CH ₃) ₂	CO	O	0
1476	H	CH(CH ₃) ₂	CO	S	0
1477	3-CH ₃	CH(CH ₃) ₂	CO	S	0
1478	4-CH ₃	CH(CH ₃) ₂	CO	S	0
1479	2-F	CH(CH ₃) ₂	CO	S	0
1480	3-F	CH(CH ₃) ₂	CO	S	0
1481	4-F	CH(CH ₃) ₂	CO	S	0
1482	3-NH ₂	CH(CH ₃) ₂	CO	S	0
1483	4-NH ₂	CH(CH ₃) ₂	CO	S	0
1484	3-NO ₂	CH(CH ₃) ₂	CO	S	0
1485	4-NO ₂	CH(CH ₃) ₂	CO	S	0
1486	3-N	CH(CH ₃) ₂	CO	S	0
1487	4-N	CH(CH ₃) ₂	CO	S	0
1488	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1489	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1490	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1491	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1492	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1493	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1494	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1495	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1496	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1497	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1498	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1499	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	0
1500	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1501	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1502	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1503	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1504	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1505	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1506	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0


1507	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1508	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1509	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1510	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1511	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	0
1512	H	CH ₃	CO	O	1
1513	3-CH ₃	CH ₃	CO	O	1
1514	4-CH ₃	CH ₃	CO	O	1
1515	2-F	CH ₃	CO	O	1
1516	3-F	CH ₃	CO	O	1
1517	4-F	CH ₃	CO	O	1
1518	3-NH ₂	CH ₃	CO	O	1
1519	4-NH ₂	CH ₃	CO	O	1
1520	3-NO ₂	CH ₃	CO	O	1
1521	4-NO ₂	CH ₃	CO	O	1
1522	3-N	CH ₃	CO	O	1
1523	4-N	CH ₃	CO	O	1
1524	H	CH ₃	CO	S	1
1525	3-CH ₃	CH ₃	CO	S	1
1526	4-CH ₃	CH ₃	CO	S	1
1527	2-F	CH ₃	CO	S	1
1528	3-F	CH ₃	CO	S	1
1529	4-F	CH ₃	CO	S	1
1530	3-NH ₂	CH ₃	CO	S	1
1531	4-NH ₂	CH ₃	CO	S	1
1532	3-NO ₂	CH ₃	CO	S	1
1533	4-NO ₂	CH ₃	CO	S	1
1534	3-N	CH ₃	CO	S	1
1535	4-N	CH ₃	CO	S	1
1536	H	CH ₃	CO	NH	1
1537	3-CH ₃	CH ₃	CO	NH	1
1538	4-CH ₃	CH ₃	CO	NH	1
1539	2-F	CH ₃	CO	NH	1
1540	3-F	CH ₃	CO	NH	1
1541	4-F	CH ₃	CO	NH	1

1542	3-NH ₂	CH ₃	CO	NH	1
1543	4-NH ₂	CH ₃	CO	NH	1
1544	3-NO ₂	CH ₃	CO	NH	1
1545	4-NO ₂	CH ₃	CO	NH	1
1546	3-N	CH ₃	CO	NH	1
1547	4-N	CH ₃	CO	NH	1
1548	H	CH(CH ₃) ₂	CO	O	1
1549	3-CH ₃	CH(CH ₃) ₂	CO	O	1
1550	4-CH ₃	CH(CH ₃) ₂	CO	O	1
1551	2-F	CH(CH ₃) ₂	CO	O	1
1552	3-F	CH(CH ₃) ₂	CO	O	1
1553	4-F	CH(CH ₃) ₂	CO	O	1
1554	3-NH ₂	CH(CH ₃) ₂	CO	O	1
1555	4-NH ₂	CH(CH ₃) ₂	CO	O	1
1556	3-NO ₂	CH(CH ₃) ₂	CO	O	1
1557	4-NO ₂	CH(CH ₃) ₂	CO	O	1
1558	3-N	CH(CH ₃) ₂	CO	O	1
1559	4-N	CH(CH ₃) ₂	CO	O	1
1560	H	CH(CH ₃) ₂	CO	S	1
1561	3-CH ₃	CH(CH ₃) ₂	CO	S	1
1562	4-CH ₃	CH(CH ₃) ₂	CO	S	1
1563	2-F	CH(CH ₃) ₂	CO	S	1
1564	3-F	CH(CH ₃) ₂	CO	S	1
1565	4-F	CH(CH ₃) ₂	CO	S	1
1566	3-NH ₂	CH(CH ₃) ₂	CO	S	1
1567	4-NH ₂	CH(CH ₃) ₂	CO	S	1
1568	3-NO ₂	CH(CH ₃) ₂	CO	S	1
1569	4-NO ₂	CH(CH ₃) ₂	CO	S	1
1570	3-N	CH(CH ₃) ₂	CO	S	1
1571	4-N	CH(CH ₃) ₂	CO	S	1
1572	H	CH(CH ₃) ₂	CO	NH	1
1573	3-CH ₃	CH(CH ₃) ₂	CO	NH	1
1574	4-CH ₃	CH(CH ₃) ₂	CO	NH	1
1575	2-F	CH(CH ₃) ₂	CO	NH	1
1576	3-F	CH(CH ₃) ₂	CO	NH	1

1577	4-F	CH(CH ₃) ₂	CO	NH	1
1578	3-NH ₂	CH(CH ₃) ₂	CO	NH	1
1579	4-NH ₂	CH(CH ₃) ₂	CO	NH	1
1580	3-NO ₂	CH(CH ₃) ₂	CO	NH	1
1581	4-NO ₂	CH(CH ₃) ₂	CO	NH	1
1582	3-N	CH(CH ₃) ₂	CO	NH	1
1583	4-N	CH(CH ₃) ₂	CO	NH	1
1584	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1585	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1586	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1587	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1588	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1589	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1590	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1591	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1592	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1593	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1594	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1595	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	O	1
1596	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1597	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1598	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1599	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1600	3-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1601	4-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1602	3-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1603	4-NH ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1604	3-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1605	4-NO ₂	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1606	3-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1607	4-N	CH ₂ CH ₂ CH(CH ₃) ₂	CO	S	1
1608	H	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
1609	3-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
1610	4-CH ₃	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1
1611	2-F	CH ₂ CH ₂ CH(CH ₃) ₂	CO	NH	1


1612	3-F	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1613	4-F	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1614	3-NH ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1615	4-NH ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1616	3-NO ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1617	4-NO ₂	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1618	3-N	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1619	4-N	$\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$	CO	NH	1
1620	H	$\text{CH}_2\text{NH}(\text{CH}_3)$	CO	O	1
1621	H	$\text{CH}_2\text{N}(\text{CH}_3)\text{CO}_2\text{C}(\text{CH}_3)_3$	CO	O	1

Table 15




5

 $\text{R}^x = \text{H}_2\text{N}, \text{Z} = \text{C}(=\text{O})$

Ex No.	R^3	R^{10}	Data
1622	CH_3	CH_3	
1623	$(\text{H}_3\text{C})_3\text{C}$	CH_3	
1624		CH_3	

1625

CH₃


1626

CH₃CH₂CH₂Ph

1627

(H₃C)₃CCH₂CH₂Ph

1628

CH₂CH₂Ph

1629



CH₂CH₂Ph

Table 16




5


 $R^x = H_2N, Z = C(=O)$

Ex No.	R ³	R ¹⁰	Data
1630	CH ₃	CH ₃	
1631	(H ₃ C) ₃ C	CH ₃	

1632

CH₃

1633

CH₃


1634

CH₃CH₂CH₂Ph

1635

(H₃C)₃CCH₂CH₂Ph

1636

CH₂CH₂Ph

1637




CH₂CH₂Ph

Table 17



Ex No.	R ³	R ¹¹	R ¹⁰	Z	Data
1638	H	H	CH ₂ Ph	C(O)O	NN
1639	PhCH ₂	H	C(CH ₃) ₃	C(O)O	OO
1640	PhCH ₂	H	CH ₃	CO	PP
1641	PhCH ₂	H	CH ₂ Ph	C(O)O	QQ


Table 18



5

Ex No.	R ³	R ¹¹	R ¹⁰	Z	Data
1642	single bond		CH ₂ CH ₂ Ph	CO	RR

TABLE 19




16

Ex No.	R ³	R ¹⁰	Z	R ^x	Data
1643	CH ₂ Ph	CH ₂ CH ₂ Ph	CO	NHCH ₃	SS
1644	CH ₂ Ph	CH ₂ CH ₂ Ph	CO	H	TT

Table 20

5



Ex No.	R ³	R ¹⁰	Z	R ^x	Data
1645	CH ₂ Ph	CH ₂ CH ₂ Ph	CO	NHCH ₃	UU
1646	CH ₂ Ph	CH ₂ CH ₂ Ph	CO	H	VV

10

DATA

- A HRMS Calcd for C₂₉H₄₂BN₃O₆: 540.3245. Found:
540.3248.
- B HRMS Calcd for C₃₀H₄₄BN₃O₆: 554.3401. Found:
15 554.3404.
- C HRMS Calcd for C₃₁H₄₇BN₃O₆: 568.3558. Found:
568.3558.
- D HRMS Calcd for C₂₉H₄₂BN₃O₆: 540.3245. Found:
540.3248.
- 20 E HRMS Calcd for C₃₃H₅₁BN₃O₆: 596.3871. Found:
596.3870.

- F HRMS Calcd for $C_{33}H_{51}BN_3O_6$: 596.3871. Found:
596.3857.
- G HRMS Calcd for $C_{36}H_{48}BN_3O_6$: 630.3714. Found:
630.3709.
- 5 H HRMS Calcd for $C_{30}H_{44}BN_3O_7$: 570.3351. Found:
570.3353.
- I LRMS Calcd for $C_{30}H_{45}BN_3O_8S$: 618.3. Found: 618.4.
- J HRMS Calcd for $C_{31}H_{46}BFN_3O_6$: 586.3464. Found:
586.3456.
- 10 K HRMS Calcd for $C_{30}H_{46}BN_4O_6$: 569.3510. Found:
569.3501.
- L HRMS Calcd for $C_{38}H_{52}BN_3O_6$: 658.4027. Found:
658.4036.
- M HRMS Calcd for $C_{28}H_{39}BN_3O_5$ (ethylene glycol ester):
508.2983. Found: 508.2999.
- 15 N HRMS Calcd for $C_{27}H_{39}BN_3O_5$ (ethylene glycol ester):
522.3139. Found: 522.3123.
- O LRMS Calcd for $C_{26}H_{36}BFN_3O_5$ (ethylene glycol ester):
526. Found: 526.
- 20 P HRMS Calcd for $C_{35}H_{49}BN_3O_4S$: 618.3537. Found:
618.3537.
- Q HRMS Calcd for $C_{36}H_{51}BN_3O_5$: 616.3922. Found:
616.3910.
- R HRMS Calcd for $C_{37}H_{53}BN_3O_5$: 630.4078. Found:
630.4060.
- 25 S HRMS Calcd for $C_{35}H_{50}BN_4O_5$: 617.3874. Found:
617.3876.
- T LRMS Calcd for $C_{36}H_{50}BFN_3O_5$: 634. Found: 634.5.
- U LRMS Calcd for $C_{36}H_{52}BN_4O_5$: 631. Found: 631.3.
- 30 V HRMS Calcd for $C_{37}H_{53}BN_3O_5$: 630.4078. Found:
630.4071.
- W HRMS Calcd for $C_{36}H_{48}BN_3O_6$: 618.3714. Found:
618.3713.
- X HRMS Calcd for $C_{36}H_{51}BN_3O_6$: 632.3871. Found:
632.3857.
- 35

	Y	LRMS Calcd for $C_{36}H_{51}BN_4O_4$:	615.	Found:	615.5.
	Z	HRMS Calcd for $C_{29}H_{44}BN_4O_5$:	526.3452.	Found:	526.3460.
	AA	HRMS Calcd for $C_{30}H_{46}BN_3O_5$:	540.3609.	Found:	540.3604.
5	BB	HRMS Calcd for $C_{30}H_{47}BN_3O_5$:	540.3609.	Found:	540.3620.
	CC	HRMS Calcd for $C_{31}H_{49}BN_3O_5$:	554.3765.	Found:	554.3769.
10	DD	HRMS Calcd for $C_{33}H_{53}BN_4O_7$:	582.4078.	Found:	582.4071.
	EE	HRMS Calcd for $C_{30}H_{48}BN_4O_5$:	555.3718.	Found:	555.3735.
	FF	HRMS Calcd for $C_{35}H_{56}BN_4O_7$:	655.4242.	Found:	655.4234.
15	GG	HRMS Calcd for $C_{26}H_{47}BN_3O_5$:	492.3609.	Found:	492.3600.
	HH	HRMS Calcd for $C_{33}H_{47}BN_3O_5$:	576.3609.	Found:	576.3593.
20	II	HRMS Calcd for $C_{33}H_{53}BN_3O_5$:	582.4078.	Found:	582.4092.
	JJ	HRMS Calcd for $C_{40}H_{53}BN_3O_5$:	666.4078.	Found:	666.4089.
	KK	LRMS Calcd for $C_{26}H_{36}BFN_5O_5$:	528.3.	Found:	528.3.
25	LL	HRMS Calcd for $C_{36}H_{51}BN_5O_5$:	644.3983.	Found:	644.3977.
	MM	LRMS Calcd for $C_{36}H_{50}BFN_5O_5$:	662.	Found:	662.
	NN	HRMS Calcd for $C_{28}H_{42}BN_4O_6S$:	573.2918.	Found:	573.2919.
30	OO	HRMS Calcd for $C_{32}H_{50}BN_4O_6S$:	629.3544.	Found:	629.3524.
	PP	HRMS Calcd for $C_{29}H_{42}BN_3O_5S$:	571.3126.	Found:	571.3138.
	QQ	HRMS Calcd for $C_{35}H_{48}BN_4O_6S$:	663.3388.	Found:	663.3374.
35					

RR HRMS Calcd for $C_{29}H_{43}BN_3O_5$: 524.3300. Found:
524.3305.
SS LRMS Calcd for $C_{37}H_{53}BN_5O_5$: 653. Found: 658
TT LRMS Calcd for $C_{36}H_{50}BN_4O_5$: 629. Found: 629
5 UU LRMS Calcd for $C_{27}H_{39}BN_5O_5$: 524. Found: 524
VV LRMS Calcd for $C_{26}H_{36}BN_4O_5$: 495. Found: 495
WW HRMS Calcd for $C_{35}H_{48}BFN_3O_6$: 636.3620. Found:
636.3612.

Utility

10

The compounds of formula (I) are useful as inhibitors of serine proteases and notably human thrombin, plasma kallikrein and plasmin. Because of their inhibitory action, these compounds are indicated
15 for use in the prevention or treatment of physiological reactions, blood coagulation and inflammation, catalyzed by the aforesaid class of enzymes.

Inhibition constants were determined by the method described by Kettner et al. in *J. Biol. Chem.* 265,
20 18289-18297 (1990), herein incorporated by reference. In these assays, thrombin-mediated hydrolysis of the chromogenic substrate S2238 (Helena Laboratories, Beaumont, TX) was monitored spectrophotometrically. Addition of an inhibitor to the assay mixture results in
25 decreased absorbance and is indicative of thrombin inhibition. Human thrombin (Enzyme Research Laboratories, Inc., South Bend, IN) at a concentration of 0.2 nM in 0.10 M sodium phosphate buffer, pH 7.5, 0.20 M NaCl, and 0.5% polyethylene glycol 6000, was
30 incubated with various substrate concentrations ranging from 0.20 to 0.02 mM. After 25 to 30 minutes of incubation, thrombin activity was assayed by monitoring the rate of increase in absorbance at 405 nm which arises owing to substrate hydrolysis. Inhibition
35 constants were derived from reciprocal plots of the

reaction velocity as a function of substrate concentration using the standard method of Lineweaver and Burk.

Using the methodology described above,

- 5 representative compounds of this invention were evaluated and found to exhibit a K_i of less than 1 mM, thereby confirming the utility of the compounds of the invention as effective thrombin inhibitors.

- The ability of the compounds to inhibit coagulation
10 was assayed in normal rabbit plasma which was prepared by diluting blood 1:10 with 3.2% aqueous citric acid followed by centrifugation. Bovine thrombin was obtained from Sigma and diluted to 24 NIH units/mL. Plasma (0.2 mL) and buffer (0.05 mL, 0.10 M
15 Tris[hydroxymethyl]-aminomethane hydrochloride, pH 7.4, 0.9% (w/v) sodium chloride, and 2.5 mg/mL bovine serum albumin) containing inhibitor were incubated 3 min at 37 °C in a fibrometer. Reactions were initiated by adding thrombin (0.05 mL) to achieve a final concentration of 4
20 NIH units/mL. The effectiveness of compounds as anticoagulants is reported as the level of inhibitor required to prolong clotting to that observed for 2 NIH units/mL of thrombin in the absence of inhibitor. In this assay then, better inhibitors require lower
25 concentrations to delay clot formation. Representative compounds of this invention were evaluated and found to be active.


- Since the compounds of formula (I) have anti-thrombogenic properties, they may be employed when an
30 anti-thrombogenic agent is indicated, such as for the control of the coagulation of the fibrinolysis system in mammals or they may be added to blood for the purpose of preventing coagulation of the blood due to contact with blood collecting or distribution
35 containers, tubing or apparatus.

Generally, these compounds may be administered orally, parenterally or intravenously to a host to obtain an anti-thrombogenic effect. The dosage of the active compound depends on the mammalian species, body weight, age, and mode of administration as determined by one skilled in the art. In the case of large mammals such as humans, the compounds may be administered alone or in combination with pharmaceutical carriers or diluents at a dose of from 0.02 to 15 mg/kg to obtain the anti-thrombogenic effect, and may be given as a single dose or in divided doses or as a sustained release formulation. Pharmaceutical carriers or diluents are well known and include sugars, starches and water, which may be used to make tablets, capsules, injectable solutions or the like which can serve as suitable dosage forms for administration of the compounds of this invention. Remington's Pharmaceutical Sciences, A. Osol, is a standard reference text which discloses suitable pharmaceutical carriers and dosage forms. The disclosure of this text is hereby incorporated by reference for a more complete teaching of suitable dosage forms for administration of the compounds of this invention.

WHAT IS CLAIMED IS:

1. A compound of formula (I):

5




(I)

or a pharmaceutically acceptable salt or prodrug thereof, wherein:

10

R^1 is

- a) $-(C_1-C_{12} \text{ alkyl})-X$, or
- b) $-(C_2-C_{12} \text{ alkenyl})-X$, or
- c)



15

X is

- a) halogen,
- b) $-CN$,
- 20 c) $-NO_2$,
- d) $-CF_3$,
- e) $-S(O)_p R^2$,
- f) $-NHR^2$,
- g) $-NHS(O)_p R^2$,
- 25 h) $-NHC(=NH)H$,


- i) $-\text{NHC}(=\text{NH})\text{NHOH}$,
- j) $-\text{NHC}(=\text{NH})\text{NHCN}$,
- k) $-\text{NHC}(=\text{NH})\text{NHR}^2$,
- l) $-\text{NHC}(=\text{NH})\text{NHC}(=\text{O})\text{R}^2$,
- 5 m) $-\text{C}(=\text{NH})\text{H}$,
- n) $-\text{C}(=\text{NH})\text{NHR}^2$,
- o) $-\text{C}(=\text{NH})\text{NHC}(=\text{O})\text{R}^2$,
- p) $-\text{C}(=\text{O})\text{NHR}^2$,
- q) $-\text{C}(=\text{O})\text{NHC}(=\text{O})\text{R}^2$,
- 10 r) $-\text{C}(=\text{O})\text{OR}^2$,
- s) $-\text{OR}^2$,
- t) $-\text{OC}(=\text{O})\text{R}^2$,
- u) $-\text{OC}(=\text{O})\text{OR}^2$,
- v) $-\text{OC}(=\text{O})\text{NHR}^2$,
- 15 w) $-\text{OC}(=\text{O})\text{NHC}(=\text{O})\text{R}^2$,
- x) $-\text{SC}(=\text{NH})\text{NHR}^2$;

R^2 is


- a) hydrogen,
- 20 b) $-\text{CF}_3$
- c) $\text{C}_1\text{-C}_4$ alkyl,
- d) $-(\text{CH}_2)_q\text{-aryl}$;

R^3 and R^{10} are independently selected at each occurrence from the group consisting of:

- a) hydrogen,
- b) halogen,
- c) $-(\text{CR}^6\text{R}^7)_t\text{W}(\text{CR}^8\text{R}^9)_u\text{-R}^9$,
- d) $-(\text{CR}^6\text{R}^7)_t\text{W}(\text{CR}^8\text{R}^9)_u\text{-aryl}$,
- 30 e) $-(\text{CR}^6\text{R}^7)_t\text{W}(\text{CR}^8\text{R}^9)_u\text{-heteroaryl}$,
- f) $-(\text{CR}^6\text{R}^7)_t\text{W}(\text{CR}^8\text{R}^9)_u\text{-heterocycle}$,
- g) $-(\text{CR}^6\text{R}^7)_t\text{W}(\text{CR}^8\text{R}^9)_u\text{-adamantyl}$,
- h) $-(\text{CR}^6\text{R}^7)_t\text{W}(\text{CR}^8\text{R}^9)_u\text{(C}_5\text{-C}_7\text{)cycloalkyl}$,
- i)




j)




5

k)




l)




10

m)




n)




5

o)




p)




10

q)




r)



15

s)



R^3 and R^{10} when taken together form a ring such as:

- a) $-(CR^6R^7)_t(CR^8R^9)_u-W-(CR^8R^9)_u(CR^6R^7)_t$;
- b) $-(CR^6R^7)_tW(CR^8R^9)_u$ -aryl- $(CR^8R^9)_uW(CR^6R^7)_t$ -;
- c) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heteroaryl- $(CR^8R^9)_uW(CR^6R^7)_t$ -;
- 5 d) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heterocycle- $(CR^8R^9)_uW(CR^6R^7)_t$ -;
- e) $-(CR^6R^7)_tW(CR^8R^9)_u-W-(CR^8R^9)_uW(CR^6R^7)_t$ -;

R^4 and R^5 are independently selected at each occurrence from the group consisting of:

- 10 a) hydrogen,
- b) C_1 - C_4 alkyl,
- c) C_1 - C_4 alkoxy,
- d) C_5 - C_7 cycloalkyl,
- e) phenyl,
- 15 f) benzyl;

R^6 , R^7 , R^8 and R^9 are independently selected at each occurrence from the group consisting of:

- a) hydrogen,
- 20 b) C_1 - C_6 alkyl,
- c) C_1 - C_6 alkoxy,
- d) C_3 - C_8 cycloalkyl,
- e) aryl,
- f) heterocycle,
- 25 g) heteroaryl,
- h) -W-aryl,
- i) $-(CH_2)_wC(=O)OR^4$,
- j) R^6 or R^7 can alternatively be taken together with R^6 or R^7 on an adjacent carbon atom to form a direct bond, thereby to form a double or triple bond between said carbons, or
- 30 k) R^8 or R^9 can alternatively be taken together with R^8 or R^9 on an adjacent carbon atom to form a direct bond,
- 35

thereby to form a double or triple bond
between said carbons;

R¹¹ is

- 5 a) hydrogen,
- b) C₁-C₄ alkyl,
- c) C₁-C₄ thioalkyl,
- d) -(CR⁶R⁷)_tW(CR⁸R⁹)_u-aryl,
- e) -(CR⁶R⁷)_tW(CR⁸R⁹)_u-heteroaryl,
- 10 f) -(CR⁶R⁷)_tW(CR⁸R⁹)_u-heterocycle, or
- g) -(CR⁶R⁷)_tW(CR⁸R⁹)_u-R⁹;

R¹¹ and V, when taken together, can also be:

- a) keto,
- 15 b) =NR¹⁰,
- c) =C[(CR⁶R⁷)_tW(CR⁸R⁹)_uR²]₂, or
- d) -(CR⁶R⁷)_tW(CR⁸R⁹)_u-W-(CR⁶R⁷)_tW(CR⁸R⁹)_u-

A is

- 20 a) -BY¹Y²,
- b) -C(=O)CF₃,
- c) -C(=O)CF₂CF₃,
- d) -PO₃H₂,
- e) -C(=O)H,
- 25 e) -C(=O)-1-piperidinyl,
- f) -C(=O)CH₂OCH₂CF₃,
- g) CH₂Cl
- h) SO₂F;

30 Y¹ and Y² are

- a) -OH,
- b) -F,
- c) -NR⁴R⁵ -,
- d) -C₁-C₈ alkoxy, or;

35 when taken together Y¹ and Y² form:

- e) a cyclic boron ester where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
- 5 f) a cyclic boron amide where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
- 10 g) a cyclic boron amide-ester where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O;

W can be independently selected at each occurrence from the group consisting of:

- 15 a) $-(CH_2)_x-$,
 b) $-C(=O)-$,
 c) $-C(=O)O-$,
 d) $-C(=O)NR^4-$,
 20 e) $-O-$,
 f) $-OC(=O)-$,
 g) $-OC(=O)O-$,
 h) $-OC(=O)NR^4-$,
 i) $-NR^4-$,
 25 j) $-NR^4C(=O)-$,
 k) $-NR^4C(=O)O-$,
 l) $-NR^4C(=O)NR^5-$,
 m) $-NR^4S(O)_p-$,
 n) $-S(O)_p-$,
 30 o) $-S(O)_pO-$,
 p) $-S(O)_pNR^4-$,
 q) $-S(O)_pNR^4C(=O)-$,
 r) $-S(O)_pNR^4C(=O)NR^5-$;

35 V is selected from the group consisting of:

- a) $-(CH_2)_x-$,

- b) $-(CH_2)_x C(=O)-$,
 c) $-(CH_2)_x C(=O)O-$,
 d) $-C(=O)(CH_2)_x-$,
 e) $-O-(CH_2)_x-$,
 5 f) $-O(CH_2)_x C(=O)-$,
 g) $-O(CH_2)_x C(=O)O-$,
 h) $-O(CH_2)_x C(=O)NR^4-$,
 i) $-O(CH_2)_x S(O)_P-$,
 j) $-(CH_2)_x S(O)_P-$,
 10 k) $-(CH_2)_x S(O)_P O-$,
 l) $-(CH_2)_x S(O)_P NR^4-$,
 m) $-(CH_2)_x S(O)_P NR^4 C(=O)-$,
 n) $-(CH_2)_x S(O)_P NR^4 C(=O)NR^5-$,
 o) $-(CH_2)_x NR^4-$,
 15 p) $-(CH_2)_x NR^4 C(=O)-$,
 q) $-(CH_2)_x NR^4 C(=O)O-$,
 r) $-(CH_2)_x NR^4 C(=O)NR^5-$,
 s) $-(CH_2)_x NR^4 S(O)_P-$.
- 20 Z is selected from the group consisting of:
 a) $-(CH_2)_x-$,
 b) $-(CH_2)_x C(=O)-$,
 c) $-C(=O)(CH_2)_x-$,
 d) $-(CH_2)_x C(=O)O-$,
 25 e) $-(CH_2)_x C(=O)NR^4-$,
 f) $-(CH_2)_x NR^4-$,
 g) $-(CH_2)_x NR^4 C(=O)-$,
 h) $-(CH_2)_x NR^4 C(=O)O-$,
 i) $-(CH_2)_x NR^4 C(=O)NR^5-$,
 30 j) $-(CH_2)_x NR^4 S(O)_P-$,
 k) $-(CH_2)_x S(O)_P-$,
 l) $-(CH_2)_x S(O)_P NR^4-$.

m can be 0 to 4;

35

n can be 0 to 4;

p can be 0 to 2

5 q can be 0 to 4;

r, s, t, u, and v are independently selected at each occurrence from 0 to 6,

10 w and x are independently selected at each occurrence from 0 to 4;

with the following provisos:

15 (a) when V is $(CH_2)_x$, x cannot be 0 when R^3 is hydrogen;

(b) when Z is $-(CH_2)_xC(=O)-$ and $-C(=O)(CH_2)_x$ and x is 0, R^{10} cannot be halogen;

20

wherein aryl is defined as phenyl, fluorenyl, biphenyl and naphthyl, which may be unsubstituted or include optional substitution with one to three substituents;

25 heteroaryl is 2-, or 3-, or 4-pyridyl; 2-or 3-furyl; 2-or 3-benzofuranyl; 2-, or 3-thiophenyl; 2- or 3-benzo[b]thiophenyl; 2-, or 3-, or 4-quinolinyl; 1-, or 3-, or 4-isoquinolinyl; 2- or 3-pyrrolyl; 1- or 2- or 3-indolyl; 2-, or 4-, or 5-oxazolyl; 2-benzoxazolyl; 2-
30 or 4- or 5-imidazolyl; 1- or 2- benzimidazolyl; 2- or 4- or 5-thiazolyl; 2-benzothiazolyl; 3- or 4- or 5-isoxazolyl; 3- or 4- or 5-pyrazolyl; 3- or 4- or 5-isothiazolyl; 3- or 4-pyridazinyl; 2- or 4- or 5-pyrimidinyl; 2-pyrazinyl; 2-triazinyl; 3- or 4-
35 cinnolinyl; 1-phthalazinyl; 2- or 4-quinazolinyl; or 2-quinoxaliny ring; said ring(s) may be unsubstituted or

include optional substitution with one to three substituents;

- heterocycle is 2- or 3-pyrrolidinyl, a 2-, 3-, or 4-piperidinyl, or a 1-, 3-, or 4-tetrahydroisoquinolinyl, 1-, 2-, or 4-tetrahydroquinolinyl, 2- or 3-tetrahydrofuran-2-yl, 2- or 3-tetrahydrothiophene, 1-, 2-, 3-, or 4-piperazinyl, and 1-, 2-, 3-, or 4-morpholino; said ring(s) which may be unsubstituted or include optional substitution with one to three substituents;

cycloalkyl is cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, adamantyl and cyclooctyl;

- the substituents which may be attached to the ring(s) above may be independently selected at each occurrence from the group selected from:
- halogen, $-\text{CF}_3$, $\text{C}_1\text{-C}_4$ alkyl, nitro, phenyl, $-(\text{CH}_2)_r\text{R}^4$,
 - $-(\text{CH}_2)_r\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^4$, $-(\text{CH}_2)_r\text{C}(=\text{O})\text{O}(\text{CH}_2)_s\text{R}^4$,
 - $-(\text{CH}_2)_r\text{C}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$, methylenedioxy,
 - $\text{C}_1\text{-C}_4$ alkoxy, $-\text{CH}_2)_r\text{O}(\text{CH}_2)_s\text{R}^4$, $-(\text{CH}_2)_r\text{OC}(=\text{O})(\text{CH}_2)_s\text{R}^4$,
 - $-(\text{CH}_2)_r\text{OC}(=\text{O})\text{O}(\text{CH}_2)_s\text{R}^4$,
 - $-(\text{CH}_2)_r\text{OC}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{OC}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{S}(\text{O})_p(\text{CH}_2)_s\text{R}^4$, $-(\text{CH}_2)_r\text{S}(\text{O})_p(\text{CH}_2)_s\text{C}(=\text{O})\text{R}^4$,
 - $-(\text{CH}_2)_r\text{S}(\text{O})_p(\text{CH}_2)_s\text{C}(=\text{O})\text{OR}^4$,
 - $-(\text{CH}_2)_r\text{S}(\text{O})_p\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{S}(\text{O})_p\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})\text{O}(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4]\text{CON}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4]\text{C}(=\text{O})-\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 - $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4][\text{S}(\text{O})_p(\text{CH}_2)_s\text{R}^5]$.

2. A compound of claim 1 wherein:

R^1 is (C₃-C₄ alkyl);


5 X is selected from the group consisting of:

-NHC(=NH)H, -NHC(=NH)NHR², -NH₂ or -SC(=NH)NHR²;

R^2 is hydrogen or C₁-C₄ alkyl.

10

3. A compound of claim 2 having formula (Ia) wherein:



15

(Ia)

or a pharmaceutically acceptable salt or prodrug thereof, wherein:

20 R^1 is (C₃-C₄ alkyl);

X is selected from the group consisting of:

-NHC(=NH)H, -NHC(=NH)NHR², -NH₂ or -SC(=NH)NHR²;

25 R^2 is hydrogen or C₁-C₄ alkyl;

R^3 and R^{10} are independently selected at each occurrence from the group consisting of:

a) hydrogen,

30

b) halogen,

- c) $-(CR^6R^7)_tW(CR^8R^9)_u-R^9$
- d) $-(CR^6R^7)_tW(CR^8R^9)_u$ -aryl
- e) $-(CR^6R^7)_tW(CR^8R^9)_u$ -heteroaryl;

5 R^4 and R^5 are independently selected at each occurrence from the group consisting of:

- a) hydrogen,
- b) C_1 - C_4 alkyl,
- c) C_1 - C_4 alkoxy,
- 10 d) phenyl, or
- e) benzyl;

R^6 , R^7 , R^8 , R^9 are independently selected at each occurrence from the group consisting of:

- 15 a) hydrogen
- b) C_1 - C_6 alkyl,
- c) aryl,
- d) $-(CH_2)_wC(=O)OR^4$, or;

20 Y^1 and Y^2 are

- a) $-OH$,
- b) $-F$,
- c) $-NR^4R^5-$,
- d) $-C_1$ - C_8 alkoxy, or;

25 when taken together Y^1 and Y^2 form:

- e) a cyclic boron ester where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
- 30 f) a cyclic boron amide where said chain or ring contains from 2 to 20 carbon atoms and, optionally, 1-3 heteroatoms which can be N, S, or O,
- g) a cyclic boron amide-ester where said chain or
- 35 ring contains from 2 to 20 carbon atoms and,

optionally, 1-3 heteroatoms which can be N, S,
or O;

W can be independently selected at each occurrence from
the group consisting of:

- a) $-(CH_2)_x-$,
- b) $-O-$,
- c) $-S(O)_p-$,
- d) $-NR^4-$,
- 10 e) $-NR^4C(=O)-$,
- f) $-NR^4C(=O)O-$,

V is selected from the group consisting of:

- a) $-(CH_2)_x-$,
- 15 b) $-O(CH_2)_x-$,
- c) $-O(CH_2)_x(C=O)-$,
- d) $-(CH_2)_xS(O)_p-$,
- e) $-(CH_2)_xNR^4-$,
- f) $-(CH_2)_xNR^4C(=O)-$,
- 20 g) $-(CH_2)_xNR^4C(=O)O-$;

Z is selected from the group consisting of:

- a) $-(CH_2)_xC(=O)-$,
- b) $-C(=O)(CH_2)_x-$,
- 25 c) $-(CH_2)_xC(=O)O-$,

p can be 0 or 2;

r can be independently selected at each occurrence from
30 0 to 3;

s can be independently selected at each occurrence from
0 to 3;

35 t can be independently selected at each occurrence from
0 to 2;

u can be independently selected at each occurrence from
0 to 2;

5 w can be independently selected at each occurrence from
0 to 2;

x can be independently selected at each occurrence from
0 to 3;

10

with the following provisos:

(a) when V is $(CH_2)_x$, x can not be 0 when R^3 is
hydrogen;

15

(b) when Z is $-(CH_2)_xC(=O)-$ and $-C(=O)(CH_2)_x$ and x is 0,
 R^{10} can not be halogen;

20 wherein aryl is phenyl, fluorenyl, biphenyl and
naphthyl, which may be unsubstituted or include optional
substitution with one to three substituents;

25 heteroaryl is 2-, 3-, or 4-pyridyl; 2-, or 3-furyl; 2-,
or 3-thiophenyl; 2-, 3-, or 4-quinolinyl; or 1-, 3-, or
4-isoquinolinyl, which may be unsubstituted or include
optional substitution with one to three substituents;

30 heterocycle is 1-, 3-, or 4-tetrahydroisoquinolinyl, 2-
or 3-pyrrolidinyl, and 2-, 3- or 4-piperidinyl, which
may be unsubstituted or include optional substitution
with one to three substituents;

35 cycloalkyl is cyclopropyl, cyclobutyl, cyclopentyl,
cyclohexyl, cycloheptyl, adamantyl and cyclooctyl;

the substituents which may be attached to the aryl, heteroaryl and heterocycle ring(s) may be independently selected at each occurrence from the group selected from:

- 5 halogen, $-\text{CF}_3$, $\text{C}_1\text{-C}_4$ alkyl, nitro, phenyl, $-(\text{CH}_2)_r\text{R}^4$,
 $-(\text{CH}_2)_r\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^4$, $-(\text{CH}_2)_r\text{C}(=\text{O})\text{O}(\text{CH}_2)_s\text{R}^4$,
 $-(\text{CH}_2)_r\text{C}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$, methylenedioxy,
 $\text{C}_1\text{-C}_4$ alkoxy, $-(\text{CH}_2)_r\text{O}(\text{CH}_2)_s\text{R}^4$, $-(\text{CH}_2)_r\text{OC}(=\text{O})(\text{CH}_2)_s\text{R}^4$,
 $-(\text{CH}_2)_r\text{OC}(=\text{O})\text{O}(\text{CH}_2)_s\text{R}^4$,
10 $-(\text{CH}_2)_r\text{OC}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_r\text{OC}(=\text{O})\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_r\text{S}(\text{O})_p(\text{CH}_2)_s\text{R}^4$, $-(\text{CH}_2)_r\text{S}(\text{O})_p(\text{CH}_2)_s\text{C}(=\text{O})\text{R}^4$,
 $-(\text{CH}_2)_r\text{S}(\text{O})_p(\text{CH}_2)_s\text{C}(=\text{O})\text{OR}^4$,
 $-(\text{CH}_2)_r\text{S}(\text{O})_p\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
15 $-(\text{CH}_2)_r\text{S}(\text{O})_p\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})\text{O}(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4]\text{CON}[(\text{CH}_2)_s\text{R}^4][(\text{CH}_2)_s\text{R}^5]$,
20 $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4]\text{C}(=\text{O})-\text{N}[(\text{CH}_2)_s\text{R}^4][\text{C}(=\text{O})(\text{CH}_2)_s\text{R}^5]$,
 $-(\text{CH}_2)_r\text{N}[(\text{CH}_2)_s\text{R}^4][\text{S}(\text{O})_p(\text{CH}_2)_s\text{R}^5]$.

4. A compound of claim 3 wherein:

25

R^3 is independently selected from the group consisting of:

- benzyl, phenyl, phenethyl, (3-phenyl)prop-1-yl, (2-methyl-1-phenyl)prop-2-yl, (2-methyl-2-phenyl)prop-1-yl, 1,1-diphenylmethyl, phenoxyethyl,
30 phenylsulfonylmethyl, 2-(*m*-fluorophenyl)ethyl, 2-(3-pyridyl)ethyl, (*m*-aminophenyl)methyl, (*m*-methylphenyl)methyl, (*p*-methylphenyl)methyl, 1-naphthylmethyl;

35

R¹⁰ is independently selected from the group consisting of:

- 5 methyl, t-butoxy, benzyloxy, phenethyl, benzyl, phenoxyethyl, isopropyl, isoamyl, N-methyl-N-t-butoxycarbonylaminomethyl, N-methylaminomethyl, (m-methyl)phenethyl, (m-fluoro)phenethyl, (m-methyl)phenoxyethyl, (3-pyridyl)ethyl;

R¹¹ is hydrogen;

10


V is independently selected from the group consisting of:

O, -OC(=O)-, S, -NH-;

15 Z is -C(=O)-.

5. A compound of claim 4 of the formula (Ib) selected from the group consisting of:

20



selected from the list consisting of:

25

the compound of formula (Ib) wherein R³ is phenyl and R¹⁰ is methyl;

the compound of formula (Ib) wherein R³ is phenylmethyl and R¹⁰ is methyl;

5 the compound of formula (Ib) wherein R³ is phenethyl and R¹⁰ is methyl;

1 the compound of formula (Ib) wherein R³ is 3-phenylprop-1-yl and R¹⁰ is methyl;

10 the compound of formula (Ib) wherein R³ is 1,1-dimethyl-2-phenylethyl and R¹⁰ is methyl;

the compound of formula (Ib) wherein R³ is 2,2-dimethyl-2-phenylethyl and R¹⁰ is methyl;

15

the compound of formula (Ib) wherein R³ is diphenylmethyl and R¹⁰ is methyl;

20 the compound of formula (Ib) wherein R³ is phenoxyethyl and R¹⁰ is methyl;

the compound of formula (Ib) wherein R³ is phenylsulfonylmethyl and R¹⁰ is methyl;


25 the compound of formula (Ib) wherein R³ is (*m*-fluorophenyl)ethyl and R¹⁰ is methyl;

the compound of formula (Ib) wherein R³ is (3-pyridyl)ethyl and R¹⁰ is methyl;

30

the compound of formula (Ib) wherein R³ is phenylethyl and R¹⁰ is phenethyl.

35 6. A compound of claim 4 of the formula (Ic) selected from the group consisting of:



5 selected from the list consisting of:

the compound of formula (Ic) wherein V is sulfur,
R³ is phenyl and R¹⁰ is phenethyl;

10 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is phenethyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is 3-phenylpropyl;

15 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is (m-
methyl)phenoxyethyl;

20 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is (m-
fluoro)phenoxyethyl;

25 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is (m-
methylphenyl)ethyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is (*m*-
fluorophenyl)ethyl;

5 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is phenoxymethyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is (*m*-fluorophenyl)methyl and R¹⁰ is phenethyl;

10

the compound of formula (Ic) wherein V is amino, R³
is phenylmethyl and R¹⁰ is phenethyl;

15 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is methyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is 2-propyl;

20 the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is isoamyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is (*m*-methylphenyl)methyl and R¹⁰ is methyl;

23

the compound of formula (Ic) wherein V is oxygen,
R³ is (*p*-methylphenyl)methyl and R¹⁰ is methyl;


30 the compound of formula (Ic) wherein V is oxygen,
R³ is (1-naphthyl)methyl and R¹⁰ is methyl;

the compound of formula (Ic) wherein V is oxygen,
R³ is phenylmethyl and R¹⁰ is *N*-methyl-*N*-*t*-
butoxycarbonylaminomethyl;

35

the compound of formula (Ic) wherein V is oxygen,
 R^3 is phenylmethyl and R^{10} is *N*-methylaminomethyl.

- 5 7. A compound of claim 4 of the formula (Id)
 selected from the group consisting of:



10

selected from the list consisting of:

the compound of formula (Id) wherein V is oxygen,
 R^3 is phenylmethyl and R^{10} is phenethyl;

15

the compound of formula (Id) wherein V is oxygen,
 R^3 is (*m*-fluorophenyl)methyl and R^{10} is phenethyl.

20

the compound of formula (Id) wherein V is oxygen,
 R^3 is phenylmethyl and R^{10} is (*m*-methyl)phenethyl;

8. A pharmaceutical composition comprising a
 pharmaceutically suitable carrier and a therapeutically
 25 effective amount of a compound of claim 1.

9. A pharmaceutical composition comprising a
 pharmaceutically suitable carrier and a therapeutically
 effective amount of a compound of claim 2.

30

10. A pharmaceutical composition comprising a pharmaceutically suitable carrier and a therapeutically effective amount of a compound of claim 3.

5

11. A pharmaceutical composition comprising a pharmaceutically suitable carrier and a therapeutically effective amount of a compound of claim 4.

10

12. A pharmaceutical composition comprising a pharmaceutically suitable carrier and a therapeutically effective amount of a compound of claim 5.

15

13. A pharmaceutical composition comprising a pharmaceutically suitable carrier and a therapeutically effective amount of a compound of claim 6.

20

14. A pharmaceutical composition comprising a pharmaceutically suitable carrier and a therapeutically effective amount of a compound of claim 7.

25

15. A method of treating a physiological disorder in a warm blooded animal catalyzed by serine protease enzymes comprising administering to an animal in need of such treatment an effective amount of a compound of claim 1.

30

16. A method of treating a physiological disorder in a warm blooded animal catalyzed by serine protease enzymes comprising administering to an animal in need of such treatment an effective amount of a compound of claim 2.

35

17. A method of treating a physiological disorder
in a warm blooded animal catalyzed by serine protease
enzymes comprising administering to an animal in need of
5 such treatment an effective amount of a compound of
claim 3.

18. A method of treating a physiological disorder
in a warm blooded animal catalyzed by serine protease
10 enzymes comprising administering to an animal in need of
such treatment an effective amount of a compound of
claim 4.

19. A method of treating a physiological disorder
15 in a warm blooded animal catalyzed by serine protease
enzymes comprising administering to an animal in need of
such treatment an effective amount of a compound of
claim 5.

20. A method of treating a physiological disorder
20 in a warm blooded animal catalyzed by serine protease
enzymes comprising administering to an animal in need of
such treatment an effective amount of a compound of
claim 6.

21. A method of treating a physiological disorder
25 in a warm blooded animal catalyzed by serine protease
enzymes comprising administering to an animal in need of
such treatment an effective amount of a compound of
30 claim 7.

INTERNATIONAL SEARCH REPORT

Intern. Appl. No.

PCT/US 94/11049

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C07F5/02 A61K31/69 C07K5/062 C07D207/16 C07F9/572
A61K38/05

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07F C07K A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP,A,0 293 881 (E.I. DU PONT DE NEMOURS AND CO.) 7 December 1988 cited in the application see the whole document	1-21
Y	EP,A,0 504 064 (MERRELL DOW PHARMACEUTICALS INC.) 16 September 1992 see the whole document	1-21
Y	EP,A,0 471 651 (SANDDOZ LTD.) 19 February 1992 cited in the application see the whole document	1-21
Y	WO,A,92 07869 (THROMBOSIS RESEARCH INSTITUTE) 14 May 1992 cited in the application see the whole document	1-21

☐ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *Z* document member of the same patent family

Date of the actual completion of the international search

16 December 1994

Date of mailing of the international search report

- 2. 01. 95

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Beslier, L

INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern. Application No

PCT/US 94/11049

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0293881	07-12-88	US-A- 5187157	16-02-93
		AU-B- 623592	21-05-92
		AU-A- 1733288	08-12-88
		CA-A- 1328332	05-04-94
		CA-A- 1333208	22-11-94
		DE-A- 3878991	15-04-93
		JP-A- 1063583	09-03-89
		SU-A- 1807988	07-04-93
		US-A- 5242904	07-09-93
		US-A- 5250720	05-10-93
EP-A-0504064	16-09-92	EP-A- 0503203	16-09-92
		JP-A- 5112598	07-05-93
EP-A-0471651	19-02-92	AU-B- 643312	11-11-93
		AU-A- 8179291	20-02-92
		CA-A- 2048953	14-02-92
		JP-A- 4330094	18-11-92
		US-A- 5288707	22-02-94
WO-A-9207869	14-05-92	AU-B- 636521	29-04-93
		AU-A- 8900791	26-05-92
		EP-A- 0509080	21-10-92
		JP-T- 5504775	22-07-93
		NZ-A- 240477	26-10-94